

REGULATED PRICE PLAN – COST TRACKING

MONTHLY VARIANCE EXPLANATION (NOVEMBER 07)

This document has been prepared at the request of the Ontario Energy Board (OEB, or the “Board”). The Board’s objective is to better inform interested stakeholders and consumers about the Regulated Price Plan (RPP) and the factors that have contributed to the difference between the forecast price that RPP consumers currently pay and the actual cost to supply those consumers. An appendix provides monthly values for the key contributing factors. This document is updated on a monthly basis when all the information becomes available.

All of the statistics presented in this report are taken or derived from publicly available information sources. Neither Navigant Consulting nor the OEB has audited this information. Any revisions by the providers of the actual data will be included in future updates of this report.

This report is available on the Regulated Price Plan (RPP) Web page of the OEB Web site at www.oeb.gov.on.ca (see quick link under “Major Key Initiatives”). Any technical questions regarding this report can be directed to Chris Cincar at 416-440-7696 or Russell Chute at 416-440-7682.

Regulated Price Plan consumers pay a stable price for electricity that is set in advance by the Board. The initial RPP prices went into effect on April 1, 2005 and remained in place for a thirteen month period (April 2005 through April 2006). Now the Board reviews RPP prices every six months and adjusts them, as needed, based on:

- a forecast of electricity costs to supply RPP consumers for the coming period; and
- the outstanding variance balance at the end of the previous period.

The current RPP prices, effective November 1, 2007 through October 31, 2008, were announced by the Board on October 12, 2007.

This report focuses on how well the current RPP prices recover the costs of electricity supplied to RPP consumers and reduces the outstanding variance account balance.¹

¹ The current RPP tiered prices are 5.0 cents per kWh (for consumption below the tier threshold) and 5.9 cents per kWh (for consumption above the tier threshold). The tiered prices were previously 5.3 cents per kWh and 6.2 cents per kWh for Tier 1 and Tier 2, respectively.

There are essentially three sources of supply for the RPP in the current hybrid electricity market structure:

1. Generating facilities subject to regulated prices, or under contract to the Ontario Power Authority (OPA) or the Ontario Electricity Financing Corporation (OEFC);
2. Ontario Power Generation (OPG) facilities which are subject to a revenue cap; and,
3. Generating facilities that receive the wholesale spot market price.

The first two groups of generating facilities supply electricity into Ontario's wholesale electricity market and are paid the wholesale spot market price. However, under current regulations, the final revenues for these two groups are different from the spot market price.

- Generating facilities subject to regulated prices or under contract to the OPA or OEFC are paid, or must reimburse, any difference between the average monthly revenue earned for their output on the spot market and their contract price or regulated price. This difference is transferred to consumers through the "Provincial Benefit" (or "Global Adjustment").

Example:

If the spot market price of electricity in a given period was 6 cents per kWh and the average contracted or regulated price (for generating facilities under contract or subject to regulated prices) was 5 cents per kWh, these generating facilities reimburse 1 cent per kWh, on average, to consumers for the electricity they supplied to the Ontario market during that period. This has the effect of reducing their average revenues from 6 cents per kWh to 5 cents per kWh. Conversely, if the spot market price was 4 cents per kWh, these generating facilities would be paid an additional 1 cent per kWh by consumers through the Provincial Benefit to bring their average revenues to 5 cents per kWh.

- Regulations require that OPG generation facilities subject to a revenue cap must reimburse any difference between the average revenue earned on their generation output and their revenue cap (average of 4.7 cents per kWh) to consumers on a quarterly basis. This payment is called the "OPG Rebate" (often also referred to as the OPG Non-Prescribed Asset Rebate, or "ONPA rebate"). For the first year, May 1, 2006 to April 30, 2007, revenues from this group of assets were capped at 4.6 cents per kWh². An estimate of the OPG Rebate is included in RPP prices.

² Output sold by OPG through the OPA Pilot Auction (PA) is excluded from the revenue cap and instead is subject to a higher revenue cap of 5.1 cents per kWh. On May 1, 2008 the cap will rise to 4.8 cents per kWh.

In some months, the average revenue from these OPG assets may be less than the revenue cap. According to the OPG Rebate payment terms³, the amount is effectively treated as a “credit” to be applied against future rebate amounts payable by OPG. There is no payment to OPG for months in which the average revenue from these OPG assets is less than the revenue cap. The OPG Rebate is a negative value in these months, representing a credit to be applied against future OPG Rebate payments.

The primary effect of these regulations is that the cost of supplying electricity to RPP consumers from the first two is fixed at a price that was expected to be below the average spot price for electricity. This reduces the average cost of supply and lessens consumers’ exposure to volatile spot market prices.

The new RPP prices reflected in this report went into effect on November 1st. These prices are based on forecasts of many factors. The most important determinants of forecast RPP supply costs (and RPP prices) are: 1) the relative amount of electricity from each of the three electricity supply sources; 2) the price of electricity purchased from the spot market; and, 3) the outstanding variance account balance at the end of the previous RPP period.

The *actual* supply cost for the RPP also depends on many factors but the most important are the same as those used to forecast the RPP price: 1) the relative amount of electricity coming from each of the three supply sources; and, 2) the price of electricity purchased from the spot market. If these factors differ from those in the forecast issued by the Board, the *actual* RPP supply cost will differ from the *forecast* RPP supply cost.

The difference between RPP revenues and the RPP supply cost is defined as the “RPP variance”. This report includes a chart that shows the forecasted and actual cumulative outstanding RPP variance at the beginning and the end of each month in the current RPP period and a table that shows the forecasted and actual cumulative outstanding RPP variance at the end of this month. For the purposes of this report, “*Initial RPP Period*” refers to April 1, 2005 through April 30, 2006, and “*Current RPP Period*” refers to November 1, 2007 through April 30, 2008. The three other periods are self-explanatory. Each period has different RPP prices as shown at the beginning of the appendix.

³ The OPG Rebate payment is administered by the Independent Electricity System Operator (IESO) which operates under a licence issued by the OEB. The IESO’s licence provides details regarding the OPG Rebate payments and is available at:

<http://www.ieso.ca/imoweb/pubs/corp/Amd-Licence-IESO-20060912.pdf>

1. Spot Market Prices and Key Drivers of Spot Prices

Simple Average Spot Market Price

This comparison shows the cost of electricity purchased from the spot market (without consideration of the Provincial Benefit and OPG Rebate) for a hypothetical consumer that uses the same amount of electricity in each hour. Actual spot market prices were lower than forecast because of reduced electricity demand. On the supply side, a strong Canadian dollar has also played a role in dampening electricity prices by lowering fuel costs, particularly natural gas and coal.

Simple Average Cost of Electricity	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	5.5 cents per kWh
Actual	4.7 cents per kWh
Percent Difference	15% lower

RPP-Load Weighted Average Spot Market Price

This comparison shows the cost of electricity purchased from the spot market (without consideration of the Provincial Benefit and OPG Rebate). However, in this case, the consumer (e.g., residential) is assumed to use electricity in the same manner as the average RPP consumer (higher electricity consumption during the peak periods, such as winter evenings, when prices are higher). The actual RPP load-weighted spot market price is lower than forecast for the same reasons as the simple average spot market price.

RPP-Load Weighted Average Cost of Electricity	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	5.9 cents per kWh
Actual	4.7 cents per kWh
Percent Difference	20% lower

Natural Gas Prices

This comparison shows natural gas prices. Natural gas prices have a significant impact on electricity prices because natural gas is the fuel source for generating facilities that often set the hourly spot market price for electricity. If natural gas prices are higher than forecast, the cost of electricity from these generating facilities and the spot market price of electricity will be higher than forecast.

Actual natural gas prices that were higher than forecast were a primary contributor to higher than forecast electricity prices in the spot market during the initial RPP period. Preliminary analyses show that for every 10% increase in natural gas prices, Ontario electricity spot market prices would increase by approximately 6%.

Natural gas prices for the current RPP period were marginally higher than forecast.

Natural Gas Prices (\$USD)	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	\$7.32 / MMBtu
Actual	\$7.39 / MMBtu
Percent Difference	1% higher

NB - 1 MMBtu (Million British Thermal Units) \cong 1.055 GJ (Gigajoules) \cong 27.5 m³ (cubic meters) of Natural Gas

Weather, Cooling Degree Days (>24°C)

Degree days for a given day represent the number of Celsius degrees that the mean temperature is above or below a given base. This comparison shows the number of cooling degree days above 24°C per month in the city of Toronto (Lester B. Pearson Int'l Airport). If the temperature is less than or equal to 24°C, then the number will be zero.⁴ Values above 24°C are used to estimate the cooling requirements of residential consumers. For example, if the mean daily temperature is 30°C, the number of cooling degree days would be 30°C - 24°C = 6.

During the initial RPP period, the number of cooling degree days far exceeded normal conditions. The number of cooling degree days in the current RPP period is zero as expected under normal conditions.

Cooling Degree Days (>24 °C)	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	0
Actual	0
Difference	0%

Weather, Heating Degree Days (>15°C)

During the winter heating season, *heating* degree days replace *cooling* degree days as an important factor driving electricity demand and spot market prices. Heating degree days, calculated in the same manner as cooling degree days, indicate the heating requirements of consumers in Ontario.

This comparison shows the number of heating degree days below 15°C in the city of Toronto (Lester B. Pearson Int'l Airport). If the temperature is higher than or equal to 15°C, then the number will be zero. The number of heating degree days for the current RPP period is 5% higher than expected or what would be considered "normal".

⁴ 18°C is another common base temperature used to determine cooling degree days. Navigant Consulting and the OEB share the view that 24°C is more representative of when residential consumers use air conditioning.

Heating Degree Days (<15 °C)	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	356
Actual	375
Difference	5% higher

2. Generating Facilities that Pay the Provincial Benefit

The two main supply sources that pay the Provincial Benefit are OPG’s nuclear generating stations and OPG’s regulated (baseload) hydroelectric generating stations.

OPG Nuclear Output

This comparison shows the output (or production) of OPG’s nuclear plants. The Board has taken outages into account when preparing the forecast. However, the planned outage schedules are brought forward or postponed, extended or shortened, or are otherwise subject to change, depending on the operational needs of the specific generation units. Actual output during the current RPP period has been 8% lower than forecast by the Board.

OPG's Nuclear Output	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	3.7 TWh
Actual	3.3 TWh
Percent Difference	8% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

OPG Regulated (Baseload) Hydroelectric Output

This comparison shows the amount of electricity produced by OPG’s regulated hydroelectric plants (DeCew Falls, Sir Adam Beck, and R.H. Saunders). The output from these facilities is primarily baseload, i.e. they produce electricity all the time (24 x 7). Actual output of these generating facilities was 19 percent lower than the forecast by the Board for the current RPP period.

OPG's Baseload Hydroelectric Output	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	1.6 TWh
Actual	1.3 TWh
Percent Difference	19% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

Provincial Benefit

This comparison shows the forecast versus actual Provincial Benefit (also referred to as the “Global Adjustment”). The forecast value of the Provincial Benefit is included in current RPP prices.

Provincial Benefit (Global Adjustment)	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	-0.1 cents per kWh
Actual	-0.7 cents per kWh
Difference	0.6 cents lower

Unlike the spot market price, the Provincial Benefit does not vary with time: it is the same unit value for all Ontario electricity consumers whether they consume more electricity during “on-peak” (e.g., daytime) periods when spot market prices are higher or they consume more electricity during “off-peak” (e.g., night) periods when spot market prices are lower.

The Provincial Benefit is a net charge to consumers for the current RPP period, as was the case for May’07 through October’07. This is primarily the result of low spot market prices.

3. Generating Facilities that Pay the OPG Rebate (or ONPA rebate)

The two supply sources that pay the OPG Rebate are OPG’s coal-fired generating plants and OPG’s unregulated hydroelectric generating plants.

OPG Coal-fired Output

The output from OPG’s coal-fired facilities is lower than the Board’s forecast and is strongly correlated with demand in Ontario: higher demand results in greater output from OPG’s coal-fired facilities, while lower demand leads to less output from the same facilities. For October 2007, actual RPP demand was 4.9 TWh and coal-fired output was 2.0 TWh. For November 2007, actual RPP demand rose to 5.1 TWh while coal-fired output rose to 2.3 TWh. These results illustrate the strong correlation between coal-fired output and demand discussed above.

OPG's Coal Fired Output	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	2.8 TWh
Actual	2.3 TWh
Percent Difference	18% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

OPG Unregulated (Non-Prescribed) Hydro Electric Output

Most of this output comes from “peaking” capacity which generally operates only during periods of high demand; the remainder is “baseload” capacity.

The actual output of these generators continued to be marginally lower than the output forecast by the Board.

OPG's Unregulated Hydroelectric Output	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	1.1 TWh
Actual	1.0 TWh
Percent Difference	9% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

OPG Rebate (estimated)

The estimated OPG Rebate is lower than forecast, because actual market prices were lower than forecast market prices. The forecast OPG Rebate is included in current RPP prices.

OPG Rebate	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	0.4 cents per kWh
Actual	0.1 cents per kWh
Difference	0.3 cents lower

A negative sign on the OPG Rebate would mean that the estimated OPG revenues are less than the revenue cap for the current RPP period.⁵

Under Government regulations, the revenue cap for the non-prescribed OPG assets increased to 4.7 cents per kWh on May 1, 2007. On May 1, 2008, the revenue cap will increase to 4.8 cents per kWh for the subsequent 12 month period.

4. RPP Supply Costs and Revenues

The RPP supply cost represents the cost and amount of electricity supplied to RPP consumers that comes from each of the three sources of generation supply discussed above (see page 2). RPP supply costs are calculated as the spot market price of electricity, less the Provincial Benefit and OPG Rebate.

The RPP revenues represent the total revenues generated from the two tiered pricing structure of 5.0 cents per kWh (for consumption below the tier threshold) and 5.9 cents per kWh (for consumption above the tier threshold) as set by the Board for the current RPP period.

⁵ The OPG Rebate payment is made on a quarterly basis but there is no actual payment to OPG for months in which the average revenue from these OPG assets is less than the revenue cap. The OPG Rebate will be shown as a negative value to represent the magnitude of the credit to be applied against future OPG Rebate payments. If the cumulative OPG Rebate is below the revenue cap for an entire quarter, the difference is carried forward and applied as a credit to offset rebate payments for future quarterly periods.

The difference between the forecast and the actual RPP supply cost is accumulated and tracked in a variance account (held by the OPA) to be either *credited* to RPP consumers (if a positive variance) or *charged* to RPP consumers (if a negative variance).

RPP Unit Supply Cost

The RPP unit supply cost in the new RPP period is lower than forecast through November 2007, which is largely because of lower than forecast spot prices; the impact of which have been partially offset by changes in the Provincial Benefit and OPG Rebate given the lower than forecast spot prices.

RPP Unit Supply Cost	
<i>Current RPP Period (November 1, 2007 through November 30,2007)</i>	
Forecast	5.6 cents per kWh
Actual	5.4 cents per kWh
Percent Difference	4% lower

The RPP unit supply cost presented above excludes the adjustment to clear the existing variance balance (or Variance Clearance Adjustment Factor) included in RPP prices which is approximately -0.32 cents per kWh. This adjustment has been factored in, for the current RPP period, in order to credit RPP consumers with the expected accumulated surplus variance of \$208 million at the end of the previous RPP period (May '07 - October '07)⁶.

RPP Total Supply Cost

The actual *total* RPP supply cost is lower than forecast. This is a result of lower than forecast RPP demand as well as the lower than forecast RPP *unit* supply cost.⁷

RPP Total Supply Cost	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	\$320 million
Actual	\$272 million
Percent Difference	15% lower

⁶ The actual surplus in the variance account as of October 31, 2007 was \$218 million, compared to an expected variance of \$208 million.

⁷ The RPP total supply cost also includes the stochastic adjustment factor and the variance clearance adjustment factor, which are not included in the unit supply cost. For an explanation of the stochastic adjustment factor, please see the RPP Price Report issued on October 12, 2007 on the Board's website at http://www.oeb.gov.on.ca/html/en/industryrelations/ongoingprojects_regulatedpriceplan_baseline.htm.

RPP Unit and Total Revenues

The actual RPP *unit* revenue was essentially the same as the forecast.

RPP Unit Revenues	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	5.7 cents per kWh
Actual	5.7 cents per kWh
Percent Difference	0%

Actual RPP *total* revenue was roughly 9% lower than forecast primarily because of lower than forecast RPP demand.

RPP Total Revenues	
<i>Current RPP Period (November 1, 2007 through November 30, 2007)</i>	
Forecast	\$316 million
Actual	\$289 million
Percent Difference	9% lower

RPP Variance⁸


The RPP Variance represents the difference between the revenues collected from RPP consumers and the cost to supply RPP consumers (i.e., RPP supply cost).

In establishing the RPP prices that went into effect on November 1, 2007, the outstanding variance was forecast to be positive \$208 million by the end of October 2007. The Board increased the Variance Clearance Adjustment Factor from a credit of 0.1 cents per kWh in the previous RPP period to a credit of 0.316 cents per kWh to clear the forecast positive variance balance over the period from November 2007 through October 2008.

The actual outstanding variance on October 31, 2007 was \$10 million higher (or positive \$218 million), because actual prices that were lower than forecast prices for September and October 2007.

The chart below presents the forecast and actual monthly variance outstanding in the current RPP period, the outstanding variances at the end of the *initial* RPP period and the RPP periods preceding the current RPP period.

⁸ The RPP variance includes interest incurred (or earned) by the OPA for balances held in the variance account, as required by the Board's RPP Manual.



The total net variance accumulated in the OPA variance account is roughly positive \$220 million. This balance is \$33 million greater than the forecast variance for November 2007.

RPP Variance - Overall	
<i>November 1, 2007 through November 30, 2007</i>	
Forecast	\$187 million
Actual	\$220 million
Difference	-\$33 million

The positive \$220 million net RPP variance corresponds to the “Net Variance Account Balance” identified on the OEB’s Final RPP Variance Settlement Amount web page.⁹ This value is taken to be the surplus amount after the estimated accrued OPG Rebate (attributable to RPP consumers) is taken into account. The difference between the forecast and actual net RPP variance at the end of the RPP period will be used to reset the Variance Clearance Adjustment Factor when RPP prices are adjusted. RPP price adjustments are set by the Board every six months, if needed, effective November 1st and May 1st.

⁹ http://www.oeb.gov.on.ca/html/en/industryrelations/ongoingprojects_regulatedpriceplan_variance.htm

APPENDIX A –KEY VARIANCE DRIVERS, MONTHLY VALUES

Presented in this appendix are the monthly values for the factors discussed in the body of this document. As well, one additional summary table is provided for RPP total demand. "Initial RPP Period" refers to the thirteen month period from April 1, 2005 through April 30, 2006.

The table below shows all of the RPP two-tier prices since the RPP was introduced. All of the monthly values in this appendix correspond to those different RPP prices.

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Current RPP Period
Tier 1	5.0	5.8	5.5	5.3	5.0
Tier 2	5.8	6.7	6.4	6.2	5.9

1. Spot Market Prices and Key Drivers of Spot Prices

Simple Average Spot Market Price

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	5.5	6.0	6.0	5.7	5.5
Actual	6.5	4.5	4.9	4.6	4.7
% Difference	18%	-25%	-18%	-19%	-15%

RPP Load Weighted Average Spot Market Price¹⁰

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	6.0	6.6	6.4	6.2	5.9
Actual	7.0	5.0	5.2	5.0	4.7
% Difference	17%	-24%	-19%	-19%	-20%

RPP Demand

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	81.0	37.2	37.8	35.4	5.5
Actual	81.1	34.6	37.1	31.0	5.1
Difference	0.1%	-7.0%	-1.9%	-12.4%	-7.3%

¹⁰ Actual values are calculated based on LDC reported monthly RPP revenues and costs for RPP supply which was provided by the IESO. The LDCs report these RPP revenues and costs before month-end, and are based on an estimate for the current month plus any reconciliation required for prior submissions. The forecast values were developed based on an estimate of the consumption pattern for RPP consumers.

Natural Gas Price

\$/MMBtu	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	\$7.08	\$7.84	\$9.67	\$8.01	\$7.32
Actual	\$8.89	\$6.14	\$7.37	\$6.85	\$7.39
% Difference	25%	-22%	-24%	-14%	1%

Weather, Cooling Degree Days (> 24 °C)

> 24 °C	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Normal	17	17	0.0	17	0
Actual	81	52	0.0	45	0
% Difference	376%	206%	0%	165%	0%

Weather, Heating Degree Days (< 15 °C)

< 15 °C	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Normal	3,517	346	2,892	359	356
Actual	2,894	291	2,603	154	375
% Difference	-18%	-16%	-10%	-57%	5%

2. Generators that Pay the Provincial Benefit

The tables below show the total output from OPG's regulated generation facilities. However the regulation specifies that any aggregate output above a threshold of 1,900 MW for OPG's regulated hydroelectric generation facilities in any given hour is eligible to receive the spot price, and hence does not contribute to the Provincial Benefit.

OPG Nuclear Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	50.6	22.2	25.8	23.6	3.7
Actual	49.5	24.3	21.7	21.7	3.3
% Difference	-2%	9%	-16%	-8%	-11%

OPG Regulated Hydroelectric Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	19.7	9.8	9.6	9.8	1.6
Actual	19.3	8.9	9.5	8.6	1.3
% Difference	-2%	-9%	-1%	-12%	-19%

Provincial Benefit (or “Global Adjustment”)

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	0.2	0.4	0.2	0.0	(0.1)
Actual	0.7	(0.5)	(0.3)	(0.5)	(0.7)
Difference	0.5	(0.9)	(0.5)	(0.5)	(0.6)

3. Generators that Pay the OPG Rebate (or “ONPA rebate”)

The tables below show the total output from OPG’s non-prescribed generation facilities. However, under the existing regulation, approximately 15 percent of the total output from these facilities is not subject to the revenue cap (and rebate).

OPG Coal-fired Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	36.2	14.5	16.5	13.9	2.8
Actual	30.0	13.3	13.8	13.8	2.3
% Difference	-17%	-8%	-16%	-1%	-18%

OPG Unregulated (Non-prescribed) Hydroelectric Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Oct-07
Forecast	19.7	7.2	6.9	7.2	1.1
Actual	15.7	5.7	7.5	6.2	1.0
% Difference	-20%	-21%	9%	-14%	-9%

OPG Rebate

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	0.5	0.5	0.6	0.5	0.4
Actual	0.5	0.1	0.2	0.1	0.1
Difference	0.0	(0.4)	(0.4)	(0.4)	(0.3)

4. RPP Unit and Total Revenues

The RPP unit revenue for May 2007 onwards is calculated as the weighted average price of electricity consumed by RPP consumers at the two tiered prices (5.0 and 5.9 cents per kWh) less the Variance Clearance Adjustment Factor of -0.316 cents per kWh. The actual unit revenue has been essentially the same as the Board’s forecast.

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	5.3	5.8	5.7	5.9	5.7
Actual	5.4	5.7	5.8	5.9	5.7
% Difference	2%	-2%	2%	0%	0%

The differential between *forecast* and *actual* RPP demand combined with the differential between *forecast* and *actual* RPP unit revenues results in the difference between the *forecast* and *actual* total RPP revenue.

million \$	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May'07-Oct'07	Nov'07
Forecast	\$4,300	\$2,158	\$2,170	\$2,070	\$316
Actual	\$4,358	\$1,991	\$2,141	\$1,812	\$289
% Difference	1%	-8%	-1%	-12%	-9%