

REGULATED PRICE PLAN – COST TRACKING

MONTHLY VARIANCE EXPLANATION (MAY 07)

This document has been prepared at the request of the Ontario Energy Board (OEB, or the “Board”). The Board’s objective is to better inform interested stakeholders and consumers about the Regulated Price Plan (RPP) and the factors that have contributed to the difference between the forecast price that RPP consumers currently pay and the actual cost to supply those consumers. An appendix is included which provides monthly values for the key contributing factors. This document is updated on a monthly basis when all of the information becomes available.

All of the statistics presented in this report are taken or derived from publicly available information sources. Neither Navigant Consulting nor the OEB has audited this information. Any revisions by the providers of the actual data will be included in future updates of this report.

This report is available on the Regulated Price Plan (RPP) Web page of the OEB Web site at www.oeb.gov.on.ca (see quick link under “Major Key Initiatives”). Any technical questions regarding this report can be directed to Chris Cincar at 416-440-7696 or Russell Chute at 416-440-7682.

Regulated Price Plan consumers pay a stable price for electricity that was set in advance by the Board. The initial RPP prices went into effect on April 1, 2005 and remained in place for a thirteen month period (April 2005 through April 2006). Since then the Board has reviewed the RPP prices every six months and adjusted prices, as needed, based on:

- a forecast of electricity costs to supply RPP consumers for the coming period; and
- the outstanding variance balance at the end of the previous period.

The current RPP prices effective May 1, 2007 through October 31, 2007 were announced by the Board on April 12, 2007.

This report will focus on the ability of the current RPP prices to recover the cost of supplying RPP consumers, as well as the extent to which the new prices reduce the magnitude of the outstanding variance balance as of April 30, 2007.¹

¹ The current RPP tiered prices are 5.3 cents per kWh (for consumption below the tier threshold) and 6.2 cents per kWh (for consumption above the tier threshold). The tiered prices were previously 5.5 cents per kWh and 6.4 cents per kWh for Tier 1 and Tier 2, respectively.

Under Ontario's current hybrid electricity market structure, there are essentially three sources of supply for the RPP:

1. Generating facilities subject to regulated prices, or under contract to the Ontario Power Authority (OPA) or the Ontario Electricity Financing Corporation (OEFC);
2. Certain Ontario Power Generation (OPG) facilities which are subject to a revenue cap; and
3. Generating facilities that receive the wholesale spot market price.

The first two groups of generating facilities described above (i.e., subject to regulated prices, or under contract, and certain OPG facilities subject to a revenue cap) supply electricity into Ontario's wholesale electricity market and are paid the wholesale spot market price for the electricity they supply to the grid. However, under current regulations, the final revenues for these two groups are different from the spot market price as described below:

- Generating facilities subject to regulated prices or under contract to the OPA or OEFC are paid, or must reimburse, any difference between the average monthly revenue earned for their output on the spot market and their contract price or regulated price. This difference is passed through to consumers through the "Provincial Benefit" (or "Global Adjustment").

Example:

If the spot market price of electricity in a given period was 6 cents per kWh and the average contracted or regulated price (for generating facilities under contract or subject to regulated prices) was 5 cents per kWh, these generating facilities would have to reimburse 1 cent per kWh, on average, to consumers for the electricity they supplied to the Ontario market during that period. This has the effect of reducing their average revenues from 6 cents per kWh to 5 cents per kWh. Conversely, if the spot market price was 4 cents per kWh, these generating facilities would be paid an additional 1 cent per kWh by consumers through the Provincial Benefit to bring their average revenues to 5 cents per kWh.

- Similarly, regulations require that OPG generation facilities subject to a revenue cap must reimburse any difference between the average revenue earned on their generation output and their revenue cap (average of 4.7 cents per kWh) to consumers on a quarterly basis. This payment is called the "OPG Rebate" (often also referred to as the OPG Non-Prescribed Asset Rebate, or "ONPA rebate"). For the first year, May 1, 2006 to April 30, 2007 revenues from the same group of assets were capped at 4.6 cents per

kWh². Similar to the previous RPP prices, an estimate of the OPG Rebate continues to be included in the new RPP prices.

Note that in some months, the average revenue from these OPG assets may be less than the revenue cap. According to the OPG Rebate payment terms³, the amount is effectively treated as a “credit” to be applied against future rebate amounts payable by OPG. Although there is not an actual physical payment to OPG for months in which the average revenue from these OPG assets is less than the revenue cap, the OPG Rebate is shown as a negative value in these months to represent the magnitude of the credit to be applied against future OPG Rebate payments.

The primary effect of these regulations is that the cost of supplying electricity to RPP consumers from the first two sources – 1) generating facilities subject to regulated prices, or under contract to the OPA or OEFC that pay the Provincial Benefit; and 2) certain OPG generation facilities subject to a revenue cap that pay the OPG Rebate – is essentially fixed at a price that was expected to be below the average spot price for electricity. This reduces the average cost of supply for all consumers and also reduces consumers’ exposure to variability in spot market prices, since the cost of supply from the spot market is not fixed (i.e., changes every hour).

The new RPP prices, which went into effect on May 1st, are based on forecasts of many different factors, the most important of which are: 1) the relative amount of electricity coming from each of the three electricity supply sources; and 2) the price of electricity purchased from the spot market; and 3) the outstanding variance at the end of the initial RPP period.

The actual supply cost for the RPP depends on many factors; the most important of which are the same as those used to forecast the RPP price, namely: 1) the relative amount of electricity coming from each of the three supply sources; and 2) the price of electricity purchased from the spot market. If these factors differ from those in the forecast issued by the Board, the *actual* RPP supply cost will differ from the *forecast* RPP supply cost.

The forecast and actual values for the key factors influencing the RPP supply costs are compared below as follows.

1. The first set of values are related to the spot market price of electricity.

² Output sold by OPG through the OPA Pilot Auction (PA) is excluded from the revenue cap and instead is subject to a higher revenue cap of 5.1 cents per kWh. On May 1, 2008 the cap will rise to 4.8 cents per kWh.

³ The OPG Rebate payment is administered by the Independent Electricity System Operator (IESO) which operates under a licence issued by the OEB. The IESO’s licence provides details regarding the OPG Rebate payments and is available at:

<http://www.ieso.ca/imoweb/pubs/corp/Amd-Licence-IESO-20060912.pdf>

2. The second set of values are related to generating facilities subject to regulated prices or under contract to the OPA or OEFC that pay the Provincial Benefit.
3. The third set of values are related to certain OPG facilities subject to a revenue cap that pay the OPG Rebate.
4. The fourth set of values are related to the difference between the forecast and actual values for the cost of RPP supply and the revenues generated by the RPP.

The difference between the RPP revenues and the RPP supply cost is defined as the “RPP variance” for the period in review. Lastly, a chart showing the forecasted and actual cumulative outstanding RPP variance at the beginning of and at the end of each month in the current RPP period is presented along with a table showing the forecasted and actual cumulative outstanding RPP variance at the end of this month. For the purposes of this report, “*Initial RPP Period*” refers to April 1, 2005 through April 30, 2006, and “*Current RPP Period*” refers to May 1, 2007 through October 31, 2007. The two other periods are self-explanatory. Each period reflects different RPP prices as shown at the beginning of the appendix.

1. Spot Market Prices and Key Drivers of Spot Prices

Simple Average Spot Market Price

This comparison shows the cost of electricity purchased from the spot market (without consideration of the Provincial Benefit and OPG Rebate) for a consumer that used the same amount of electricity in each hour. This price would apply to a relatively small subset of consumers. Actual spot market prices were lower than forecast due largely to low RPP demand.

Simple Average Cost of Electricity	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	4.2 cents per kWh
Actual	3.8 cents per kWh
Percent Difference	8% lower

RPP-Load Weighted Average Spot Market Price

This comparison similarly shows the cost of electricity purchased from the spot market (without consideration of the Provincial Benefit and OPG Rebate). However, in this case, it is for a consumer (e.g., residential) whose usage pattern is the same as the average RPP consumer (higher electricity consumption during the peak periods, such as winter evenings, when prices are higher). The actual RPP load-weighted spot market price is lower than forecast for the same reasons as described above for the simple average spot market price.

RPP-Load Weighted Average Cost of Electricity	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	4.5 cents per kWh
Actual	3.9 cents per kWh
Percent Difference	13% lower

Natural Gas Price

This comparison shows natural gas prices. Natural gas is the fuel source for generating facilities that set the spot market price for electricity for a portion of hours throughout the day, so natural gas prices have a significant impact on electricity prices. If natural gas prices are higher than forecast, the cost of electricity from these generating facilities and the spot market price of electricity will be higher than forecast.

Higher than forecast natural gas prices were a primary contributor to higher than forecast electricity prices in the spot market during the initial RPP period. Preliminary analyses show that for every 10% increase in natural gas prices, Ontario electricity spot market prices would increase by approximately 6%.

Natural gas prices for the current RRP period were marginally higher than forecast.

Natural Gas Prices (\$USD)	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	\$7.85 / MMBtu
Actual	\$7.96 / MMBtu
Percent Difference	1% higher

NB - 1 MMBtu (Million British Thermal Units) \cong 1.055 GJ (Gigajoules) \cong 27.5 m³ (cubic meters) of Natural Gas

Weather, Cooling Degree Days (>24°C)

Degree days for a given day represent the number of Celsius degrees that the mean temperature is above or below a given base. This comparison shows the number of cooling degree days above 24°C per month in the city of Toronto (Lester B. Pearson Int'l Airport). If the temperature is less than or equal to 24°C, then the number will be zero.⁴ Values above 24°C are used primarily to estimate the cooling requirements of residential consumers. For example, if the mean daily temperature is 30°C, the number of cooling degree days would be 30°C - 24°C = 6.

During the initial RPP period, the number of such days far exceeded normal conditions. The number of cooling degree days is zero, as expected under normal conditions.

⁴ 18°C is another common base temperature used to determine cooling degree days. Navigant Consulting and the OEB share the view that 24°C is more representative of when residential consumers use air conditioning.

Cooling Degree Days (>24 °C)	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	0
Actual	0
Difference	0%

Weather, Heating Degree Days (>15°C)

During the winter heating season, the number of *heating* degree days replaces *cooling* degree days as an important factor driving electricity demand and spot market prices. Heating degree days are calculated in the same manner as cooling degree days. However, instead of depicting cooling requirements, they offer an indication as to the heating requirements of consumers in Ontario.

This comparison shows the number of heating degree days below 15°C in the city of Toronto (Lester B. Pearson Int'l Airport). If the temperature is higher than or equal to 15°C, then the number will be zero. The number of heating degree days for the current RPP period was 36% lower than expected or what would be considered “normal”. This was likely a contributing factor to the low RPP consumer demand.

Heating Degree Days (<15 °C)	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	99
Actual	63
Difference	36% lower

2. Generating Facilities that Pay the Provincial Benefit

The two main generation supply sources that pay the Provincial Benefit are OPG’s nuclear generating stations and OPG’s regulated (baseload) hydroelectric generating stations.

OPG Nuclear Output

This comparison shows the output (or production) of OPG’s nuclear plants. The Board has taken outages into account when preparing the forecast. However, the planned outage schedules are brought forward or postponed, extended or shortened, or are otherwise subject to change, depending on the operational needs of the specific generation units. Actual output during the current RPP period is marginally higher than forecast.

OPG's Nuclear Output	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	3.9 TWh
Actual	4.0 TWh
Percent Difference	1% higher

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

OPG Regulated (Baseload) Hydroelectric Output

This comparison shows the amount of electricity produced by OPG’s regulated hydroelectric plants (DeCew Falls, Sir Adam Beck, and R.H. Saunders). The output from these facilities is primarily baseload, i.e. they are generally producing electricity all of the time (24 x 7). Actual output of these generating facilities is essentially the same as the forecast by the Board for the current RPP period.

OPG's Baseload Hydroelectric Output	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	1.7 TWh
Actual	1.7 TWh
Percent Difference	0% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

Provincial Benefit

This comparison shows the forecast versus actual Provincial Benefit (also referred to as the “Global Adjustment”). The forecast value of the Provincial Benefit is already included in the current RPP prices.

Provincial Benefit (Global Adjustment)	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	-0.9 cents per kWh
Actual	-1.0 cents per kWh
Difference	0.1 cents higher

Unlike the spot market price, the Provincial Benefit does not differ based on when a consumer’s electricity consumption occurs. In other words, it is the same unit value for all Ontario electricity consumers whether they consume more electricity during “on-peak” (e.g., daytime) periods when spot market prices are higher or they consume more electricity during “off-peak” (e.g., night) periods when spot market prices are lower.

The Provincial Benefit is a net charge to consumers for the current RPP period, as was the case for November ‘06 through April ‘07. This is primarily due to low spot market prices.

3. Generating Facilities that Pay the OPG Rebate (or ONPA rebate)

The two supply sources that pay the OPG Rebate are OPG’s coal-fired generating plants and OPG’s unregulated hydroelectric generating plants.

OPG Coal-fired Output

This comparison shows the output of OPG’s coal-fired generating plants. The output from OPG’s coal-fired facilities is strongly correlated with demand in Ontario. Higher demand implies greater output from OPG’s coal-fired facilities, while lower demand implies less output

from the same facilities. For April 2007, RPP demand was 3% *higher* than forecast and coal-fired output was 14% *higher* than forecast. For the current RPP period, RPP demand is 12 % lower than forecast and coal-fired output is 17% lower than the Board forecast. These results illustrate the strong correlation between coal-fired output and demand discussed above.

OPG's Coal Fired Output	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	1.9 TWh
Actual	1.5 TWh
Percent Difference	17% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

OPG Unregulated (Non-Prescribed) Hydro Electric Output

This comparison shows the output of OPG's unregulated hydroelectric generating facilities. The large majority of this output comes from "peaking" capacity which only tend to operate during periods of high demand. The remainder is "baseload" capacity which is operating more or less continuously all of the time (24 x 7).

The actual output of these generators was substantially lower than the output forecast by the Board for the current RPP period, largely due to lower than forecast demand.

OPG's Unregulated Hydroelectric Output	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	1.7 TWh
Actual	1.1 TWh
Percent Difference	33% lower

NB - 1 TWh = 1 billion kWh and is roughly equivalent to the electricity used by 100,000 homes in a year.

OPG Rebate (estimated)

This comparison shows the OPG Rebate. The estimated OPG Rebate is lower than forecast, largely due to lower than forecast spot market prices. The forecast value of the OPG Rebate is already included in current RPP prices.

OPG Rebate	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	0.06 cents per kWh
Actual	-0.02 cents per kWh
Difference	0.08 cent lower

The negative sign on the OPG Rebate signifies that the estimated OPG revenues are below the revenue cap for the current RPP period. The OPG Rebate payment is made on a quarterly basis. As discussed in the introduction, although there is not an actual physical payment to OPG for months in which the average revenue from these OPG assets is less than the revenue cap, the

OPG Rebate is shown as a negative value to represent the magnitude of the credit to be applied against future OPG Rebate payments. If the cumulative OPG Rebate is below the revenue cap for an entire quarter, the difference is carried forward and applied as a credit to offset rebate payments for future quarterly periods.

Under Government regulations, the revenue cap for the non-prescribed OPG assets increased to 4.7 cents per kWh on May 1, 2007. On May 1, 2008, the revenue cap will increase to 4.8 cents per kWh for the subsequent 12 month period.

4. RPP Supply Costs and Revenues

The RPP supply cost represents the cost and amount of electricity for RPP consumers associated with each of the three sources of generation supply discussed above (see page 1) and is calculated as the spot market price of electricity, less the Provincial Benefit and OPG Rebate.

The RPP revenues represent the total revenues generated from the two tiered pricing structure of 5.3 cents per kWh (for consumption below the tier threshold) and 6.2 cents per kWh (for consumption above the tier threshold).⁵

The difference between the forecast and the actual RPP supply cost is accumulated and tracked in a variance account (held by the OPA) to be either *credited* to RPP consumers (if a positive variance) or *charged* to RPP consumers (if a negative variance).

RPP Unit Supply Cost

The RPP unit supply cost is lower than forecast for May 2007, largely due lower than forecast RPP demand and, as a result, a higher proportion of RPP demand being met through relatively low cost baseload generation (such as the OPG Regulated assets) .

RPP Unit Supply Cost	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	5.3 cents per kWh
Actual	4.9 cents per kWh
Percent Difference	7% lower

The RPP unit supply cost presented above excludes the adjustment to clear the existing variance balance (or Variance Clearance Adjustment Factor) included in RPP prices which is approximately -0.1 cent per kWh. This adjustment has been factored in, for the current RPP

⁵ The Board announced new prices for the two tiers effective May 1, 2007. Those prices are 5.3 cents per kWh for the lower tier and 6.2 cents per kWh for the higher tier. For more information, see the “Regulated Price Plan: Price Report (May 07 – April 08)”, issued on April 12, 2007 on the RPP web page of the Board’s website: http://www.oeb.gov.on.ca/documents/cases/EB-2004-0205/rpp_price_report_20070412.pdf

period, in order to credit back to the RPP consumers the expected accumulated surplus variance of \$70 million at the end of the previous RPP period (November '06 - April '07).⁶

RPP Total Supply Cost

The actual *total* RPP supply cost is lower than forecast. This is a result of lower than forecast RPP demand as well as the lower than forecast RPP *unit* supply cost above.⁷

RPP Total Supply Cost	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	\$312 million
Actual	\$248 million
Percent Difference	20% lower

RPP Unit and Total Revenues

The RPP unit revenue was roughly the same as the forecast.

RPP Unit Revenues	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	5.8 cents per kWh
Actual	5.8 cents per kWh
Percent Difference	0.0% higher

The actual RPP revenue was roughly 12% lower than forecast; mainly due to lower than forecast RPP demand (also 12% lower).

RPP Total Revenues	
<i>Current RPP Period (May 1, 2007 through May 31, 2007)</i>	
Forecast	\$331 million
Actual	\$293 million
Percent Difference	12% lower

⁶ The actual surplus variance at April 30, 2007 stood at around \$91 million against an expected positive variance of \$70 million.

⁷ The RPP total supply cost also includes the stochastic adjustment factor, which is not included in the unit supply cost. For an explanation of the stochastic adjustment factor, please see the RPP Price Report issued on Oct 11, 2006 on the Board's website at http://www.oeb.gov.on.ca/html/en/industryrelations/ongoingprojects_regulatedpriceplan_baseline.htm.

RPP Variance⁸

The RPP Variance represents the difference between the revenues collected from RPP consumers and the cost to supply RPP consumers (i.e., RPP supply cost).

The outstanding variance from the initial RPP period as of April 30, 2006 was negative \$417 million. In the subsequent twelve months, the negative variance balance was eliminated entirely. In establishing the RPP prices that went into effect on May 1, 2007, the outstanding variance was forecast to be positive \$70 million as at the end of April 2007. The actual outstanding variance on April 30, 2007 was \$21 million higher (or positive \$91 million), primarily due to lower than forecast low spot prices in March and April 2007.


Further unexpected mitigation of the variance was provided during April in the amount of approximately \$12.1 million in payments to the OPA from retailers. These payments were made for certain consumers with retail contracts that were paying RPP prices because they had entered into those contracts prior to November 11, 2002 when the electricity price was frozen at 4.3 cents for all low volume consumers. In April 2006, the Independent Electricity System Operator (IESO) had forwarded the OPG Rebate to retailers for all such consumers that had signed a contract. However, certain customers had not assigned their OPG Rebate to the retailer under the terms of the original contract. In such cases, the payment from retailers represented a “return” to the RPP variance account of a portion of the OPG Rebate that was paid out in April 2006 by the IESO. Over the past 12 months, the total OPG Rebate amount “returned” by retailers was \$16.6 million.

The RPP prices effective on November 1, 2006 incorporated a Variance Recovery Factor (or Variance Clearance Adjustment Factor) of 0.144 cents per kWh to pay down the negative outstanding variance from the previous RPP period to zero over the twelve month period from November 2006 through October 2007. However, the outstanding negative variance was eliminated by February 2007 and the variance account reached a positive balance of \$91 million by April 30, 2007. As mentioned earlier, the Board has incorporated a Variance Clearance Adjustment Factor of approximately -0.1 cent per kWh to clear the positive variance balance at April 30, 2007.

The chart below presents the forecast and actual monthly variance outstanding in the current RPP period, as well as the outstanding variance at the end of the *initial* RPP period as well as the RPP periods preceding the current RPP period.

⁸ The RPP variance includes interest incurred by the OPA for balances held in the variance account, as required by the Board’s RPP Manual.

Cumulative Variance (Period Ending) - Forecast vs Actual



The total net variance accumulated in the OPA variance account is roughly positive \$131 million. Compared to the forecast total variance of positive \$84 million, this yields a positive unexpected variance of \$47 million. As the chart above illustrates, the RPP variance account has completely recovered from the significant negative variance built-up during the summer of 2005 when Ontario experienced extreme weather conditions.

RPP Variance - Overall	
<i>(Apr 1, 2005 through May 31, 2007)</i>	
Forecast	\$84 million
Actual	\$131 million
Difference	\$47 million

The positive \$131 million net RPP variance corresponds to the “Net Variance Account Balance” identified on the OEB’s Final RPP Variance Settlement Amount web page.⁹ This value is taken to be the surplus amount after the estimated accrued OPG Rebate (attributable to RPP consumers) is taken into account. The difference between the forecast and actual net RPP variance at the end of the RPP period will be used to reset the Variance Clearance Adjustment

⁹ http://www.oeb.gov.on.ca/html/en/industryrelations/ongoingprojects_regulatedpriceplan_variance.htm

Factor when RPP prices are adjusted. RPP price adjustments are now implemented by the Board every six months, if required, on November 1st and May 1st.

APPENDIX A –KEY VARIANCE DRIVERS, MONTHLY VALUES

Presented in this appendix are the monthly values for the factors discussed in the body of this document. As well, one additional summary table is provided for RPP total demand which was not previously discussed in this report. As mentioned in the main body of the report, “Initial RPP Period” refers to the thirteen month period from April 1, 2005 through April 30, 2006.

The table below shows all of the RPP two-tier prices since the RPP was introduced and all of the monthly values in this appendix correspond to those different RPP prices.

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	Current RPP Period
Tier 1	5.0	5.8	5.5	5.3
Tier 2	5.8	6.7	6.4	6.2

1. Spot Market Prices and Key Drivers of Spot Prices

Simple Average Spot Market Price

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	5.5	6.0	6.0	4.2
Actual	6.5	4.5	4.9	3.8
% Difference	18%	-25%	-18%	-8%

RPP Load Weighted Average Spot Market Price¹⁰

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	6.0	6.6	6.4	4.5
Actual	7.0	5.0	5.2	3.9
% Difference	16%	-24%	-19%	-13%

RPP Demand

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	81.0	37.2	37.8	5.7
Actual	81.1	34.6	37.1	5.0
Difference	0.1%	-7%	-2%	-12%

¹⁰ Actual values are calculated based on LDC reported monthly RPP revenues and costs for RPP supply which was provided by the IESO. The LDCs report these RPP revenues and costs before month-end, and are based on an estimate for the current month plus any reconciliation required for prior submissions. The forecast values were developed based on an estimate of the consumption pattern for RPP consumers.

Natural Gas Price

\$/MMBtu	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	\$7.08	\$7.84	\$9.67	\$7.85
Actual	\$8.89	\$6.14	\$7.37	\$7.96
% Difference	26%	-22%	-24%	1%

Weather, Cooling Degree Days (> 24 °C)

> 24 °C	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Normal	17	17	0.0	0.2
Actual	81	52	0.0	0.0
% Difference	363%	198%	0%	0%

Weather, Heating Degree Days (< 15 °C)

< 15 °C	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Normal	3,517	346	2,892	99
Actual	2,894	291	2,603	63
% Difference	-18%	-16%	-10%	-36%

2. Generators that Pay the Provincial Benefit

The tables below show the total output from OPG's regulated generation facilities. However the regulation specifies that any aggregate output above a threshold of 1,900 MW for OPG's regulated hydroelectric generation facilities in any given hour is eligible to receive the spot price, and hence does not contribute to the Provincial Benefit.

OPG Nuclear Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	50.6	22.2	25.8	3.9
Actual	49.5	24.3	21.7	4.0
% Difference	-2%	9%	-16%	1%

OPG Regulated Hydroelectric Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	19.7	9.8	9.6	1.7
Actual	19.3	8.9	9.5	1.7
% Difference	-2%	-9%	-1%	0%

Provincial Benefit (or “Global Adjustment”)

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	0.2	0.4	0.2	(0.9)
Actual	0.7	(0.5)	(0.3)	(1.0)
Difference	0.4	(0.9)	(0.5)	(0.1)

3. Generators that Pay the OPG Rebate (or “ONPA rebate”)

The tables below show the total output from OPG’s non-prescribed generation facilities. However, under the existing regulation, approximately 15 percent of the total output from these facilities is not subject to the revenue cap (and rebate).

OPG Coal-fired Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	36.2	14.5	16.5	1.9
Actual	30.0	13.3	13.8	1.5
% Difference	-17%	-8%	-16%	-17%

OPG Unregulated (Non-prescribed) Hydroelectric Output

TWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	19.7	7.2	6.9	1.7
Actual	15.7	5.7	7.5	1.1
% Difference	-20%	-20%	8%	-33%

OPG Rebate

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	0.46	0.54	0.63	0.06
Actual	0.49	0.11	0.17	(0.02)
Difference	0.04	(0.43)	(0.46)	(0.08)

4. RPP Unit and Total Revenues

The RPP unit revenue for November 2006 onwards is calculated as the weighted average price of electricity consumed by RPP consumers at the two tiered prices (5.3 and 6.2 cents per kWh) less the Variance Clearance Adjustment Factor of -0.097 cents per kWh. The actual unit revenue was roughly the same as the forecast.

cents per kWh	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	5.3	5.8	5.7	5.8
Actual	5.4	5.7	5.8	5.8
% Difference	1%	-1%	1%	0%

The differential between *forecast* and *actual* RPP demand combined with the differential between *forecast* and *actual* RPP unit revenues results in the difference between the *forecast* and *actual* total RPP revenue.

million \$	Initial RPP Period	May '06- Oct '06	Nov '06- Apr '07	May-07
Forecast	\$4,300	\$2,158	\$2,170	\$331
Actual	\$4,358	\$1,991	\$2,141	\$293
% Difference	1%	-8%	-1%	-12%