			_1110111	tequest Gas IIII	olementation (Guide for Onta	110 11.1				
Field Display Names	XML names	Definition	Attribute /	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh	Optional/Mandator Conditional
PIPE Document	PIPEDocument	Document type name, stands for Participant Interface Process for Energy.		PIPEDocument	MarketParticipantDirectory, PIPTransaction	N/A	N/A	N/A	N/A	N/A	1 PIPE Document per PIPE Document
XML Name Space	xmlns	Uniquely identifies the XML name space.	A	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
XML Name Space Schema Instance	xmlns:xsi	Defines the schema instance being	А	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
XML Schema Instance location	xsi:schemaLocation	Associates the actual schema instance being used to the name space.	A	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
Version	Version	Identifies the version of the PIPEDocument schema.	А	PIPEDocument	N/A	N/A	N/A	A/N	5	N/A	М
Document Reference Number	DocumentReferenceNumber	Uniquely identifies this PIPEDocument.	A	PIPEDocument	N/A	N/A	N/A	A/N	30	N/A	М
Creation Date and Time	CreationDate	System date and time stamp of when the transaction is generated.	А	PIPEDocument	N/A	N/A	N/A	Date (yyyymmddhhmmssmsstz)	19	N/A	М
Market Participant Directory	MarketParticipantDirectory	Contains tags that define all the Market Participants involved in the particular PIP transaction.	E	MarketParticipantDirectory	Recipient, Sender	PIPEDocument	(see Market Participant Directory data structure)	N/A	N/A	N/A	М
PIP Transaction	PIPTransaction	Indicates the beginning of a PIP transaction.	E	PIPTransaction	Enrol Request	PIPEDocument	(see PIP Transaction data structure)	N/A	N/A	N/A	1 or more
Market Participant Directory	MarketParticipantDirectory	Contains tags that define all the Market Participants involved in the particular PIP transaction.		MarketParticipantDirectory	Recipient, Sender	PIPEDocument	N/A	N/A	N/A	N/A	1 Market Participant Directory per PIPE Document
Sender	Sender	Used to identify the sender of the PIPE document.	E	Sender	MarketParticipant	MarketParticipantDirectory	(see Sender data structure)	N/A	N/A	N/A	М
Recipient	Recipient	Used to identify the recipient of the PIPE document.	E	Recipient	MarketParticipant	MarketParticipantDirectory	(see Recipient data structure)	N/A	N/A	N/A	М
Sender	Sender	Used to identify the sender of the PIPE document.		Sender	MarketParticipant	MarketParticipantDirectory	N/A	N/A	N/A	N/A	1 Sender per Market Participant Directory
Market Participant	MarketParticipant	Identifies the Market Participants.	E	MarketParticipant	CompanyName, MarketParticipantIdentifier	Sender	(see Market Participant data structure)	N/A	N/A	N/A	М
		ļ.,				·					
Recipient	Recipient	Used to identify the recipient of the PIPE document.		Recipient	MarketParticipant	MarketParticipantDirectory	N/A	N/A	N/A	N/A	1 Recipient per Market Participant Directory
Market Participant	MarketParticipant	Identifies the Market Participants.	E	MarketParticipant	CompanyName, MarketParticipantIdentifier	Recipient	(see Market Participant data structure)	N/A	N/A	N/A	М
Market Participant	MarketParticipant	Identifies the Market Participants.		MarketParticipant	CompanyName, MarketParticipantIdentifier	Recipient, Sender	N/A	N/A	N/A	N/A	1 Market Participant pe Sender and 1 per
Company Name	CompanyName	Tag used to define the name of the company a Consumer already has service with or would like to establish service with.	Е	CompanyName	N/A	MarketParticipant	N/A	A/N	String	N/A	Recipient M
Market Participant Identifier	MarketParticipantIdentifier	Tag used to uniquely identify a company or business.	E	MarketParticipantIdentifier	N/A	MarketParticipant	N/A	A/N	10	N/A	М
PIP Transaction	PIPTransaction	Indicates the beginning of a PIP transaction.		PIPTransaction	EnrolRequest	PIPEDocument	N/A	N/A	N/A	N/A	1 or more PIP Transaction
Version	Version	Identifies the version of the PIP	A	Version	N/A	N/A	N/A	A/N	5	N/A	М
Transaction Reference Number	TransactionReferenceNumber	Uniquely identifies this PIP transaction.	A	TransactionReferenceNumber	N/A	N/A	N/A	A/N	30	N/A	М
Enrol Request (purpose of transaction)	EnrolRequest	Tag used to nest all data relevant to a Consumer Enrol	E	EnrolRequest	PoolPriceInformation, AccountInformation	PIPTransaction	(see Enrol Request data structure)	N/A	N/A	N/A	М
	<u> </u>			<u> </u>							
Enrol Request	EnrolRequest	Tag used to nest all data relevant to a Consumer enrol		EnrolRequest	PoolPriceInformation, AccountInformation	PIPTransaction	N/A	N/A	N/A	N/A	1 Enrol Request per PI Transaction
Pool Price Information	PoolPriceInformation	Tag used to nest all relevant Distributor Pool and Price Information	E	PoolPriceInformation	DistributorNewPoolld, DistributorNewPricePointId, EffectiveDate	EnrolRequest	(see Pool/Price Information data structure)	N/A	N/A	N/A	M
Account Information	AccountInformation	Tag used to hold all the information relevant to an account.	E	AccountInformation	ValidationInformation, ConsumerInformation, ServiceAddress, VendorConsumerAccountNumber	EnrolRequest	(see Account Information data structure)	N/A	N/A	N/A	М
Pool/Price Information	PoolPriceInformation	Tag used to nest all relevant Distributor Pool and Price Information		PoolPriceInformation	DistributorNewPoolld DistributorNewPricePointId, EffectiveDate	EnrolRequest	N/A	N/A	N/A	N/A	М
DistributorNew Pool Identifier	DistributorNewPoolld	This contains the Distributor Pool name (Pool ID) to which the account is being enrolled.	Е	DistributorNewPoolId	N/A	PoolPriceInformation	N/A	A/N	40	N/A	М
DistributorNew Price Point Identifier	DistributorNewPricePointId	This contains the distributor PricePointID to which the account is being enrolled.	Е	DistributorNewPricePointId	N/A	PoolPriceInformation	N/A	A/N	40	N/A	0
Effective Date	EffectiveDate	This is the date on which the transaction is to be implemented (takes effect).	E	EffectiveDate	N/A	PoolPriceInformation	N/A	Date (YYYYMMDD)	8	N/A	М

Field Display Names	XML names	Definition	Attribute / Element	/ Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh	Optional/Mandatory
Account Information	AccountInformation	Tag used to hold all the information relevant to an account.		AccountInformation	ValidationInformation, ConsumerInformation, ServiceAddress, VendorConsumerAccountNu mber	EnrolRequest	N/A	N/A	N/A	N/A	1 Account Information per Enrol Request
Language Indicator	LanguageIndicator	Attribute which specifies the language preference for the Consumer account. This is provided as Information only.	A	AccountInformation	N/A	N/A	English or French	Enumerated (English French)	N/A	N/A	М
Billing Method	BillingMethod	Attribute which specifies the billing method for the account. Other billing methods will be added when required.	А	AccountInformation	N/A	N/A	DistributorRateReady, SplitNoConsumption	Enumerated (DistributorRateReady SplitNoConsumption)	N/A	N/A	M
Validation Information	ValidationInformation	A tag that contains all information relevant to the validation of a particular account.	E	ValidationInformation	AccountValidator, NameValidator, AddressValidator	AccountInformation	(see Validation Information data structure)	N/A	N/A	N/A	М
Consumer Information	ConsumerInformation	Tag used to nest all relevant Consumer information.	Е	ConsumerInformation	LastName, FirstName, MiddleName, ContactInformation	AccountInformation	N/A	N/A	N/A	N/A	М
Service Address	ServiceAddress	Used to specify the service address.	Е	ServiceAddress	LastName, StreetNumber, StreetNumberSuffix, StreetName, StreetType, StreetDirection, UnitNumber, UnitType, City, Province, PostalCode	AccountInformation	N/A	N/A	N/A	N/A	М
Vendor Consumer Account Number	VendorConsumerAccountNumb er	This contains Vendor's identifier for the consumer. This value is not validated and is returned in the response document.	E	VendorConsumerAccountNum ber	N/A	AccountInformation	N/A	String	100	N/A	0
		•									
Validation Information	ValidationInformation	A tag that contains all information relevant to the validation of a particular account.		ValidationInformation	AccountValidator, NameValidator, AddressValidator	AccountInformation	N/A	N/A	N/A	N/A	Validation Information per Account Information
Distributor Account Number	DistributorAccountNumber	The distributor's Consumer account number as it appears on the bill. Used when the account number is known.	E	DistributorAccountNumber	N/A	ValidationInformation	Choice	A/N	30	N/A	M (If NULL than AccoutLookUp follows the Service Address Field)
Name Validator	NameValidator	The Consumer's name as it appears on the bill, (first four alpha-numeric print characters, uppercase only, (A-Z and 0-9) left to right with special characters and blanks excluded). Refreshed only upon Successful lookup)	E	NameValidator	N/A	ValidationInformation	N/A	A/N	4	N/A	M
Address Validator	AddressValidator	The Consumer's address defined as the postal code of the billing address.	E	AddressValidator	N/A	ValidationInformation	N/A	A/N	10	N/A	М
Consumer Information	ConsumerInformation	Tag used to nest all relevant Consumer information.		ConsumerInformation	LastName, FirstName, MiddleName, ContactInformation	AccountInformation	N/A	N/A	N/A	N/A	1 Service Consumer Information per Enrol Request
Last Name	LastName	Identifies the last name of a person or Business (Not Null)	E	LastName	N/A	ConsumerInformation	N/A	String	100	N/A	M
First Name	FirstName	Identifies the first name of a person.	E	FirstName	N/A	ConsumerInformation	N/A	A/N	30	N/A	0
Middle Name	MiddleName	Identifies the middle name of a person.	E	MiddleName	N/A	ConsumerInformation	N/A	A/N	30	N/A	0

	1		IIIOI K	equest Gas	Implementation G	suide for Onta	ario vi.i	I			
Field Display Names	XML names	Definition	Attribute /	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh	Optional/Mandatory Conditional
Service Address	ServiceAddress	Used to specify the service address.		ServiceAddress	LastName, StreetNumber, StreetNumberSuffix, StreetName, StreetType, StreetDirection, UnitNumber, UnitType, City, Province, PostalCode	AccountInformation	N/A	N/A	N/A	N/A	М
Street Number	StreetNumber	Indicates the service street number	E	StreetNumber	N/A	ServiceAddress	N/A	A/N	10	N/A	0
Street Number Suffix	StreetNumberSuffix	Indicates the street number suffix for the service address.	E	StreetNumberSuffix	N/A	ServiceAddress	N/A	A/N	10	N/A	0
Street Name	StreetName	Street Name could be Lot and Concession	E	StreetName	N/A	ServiceAddress	N/A	A/N	55	N/A	M
Street Type	StreetType	Ave. Street, Road	Е	StreetType	N/A	ServiceAddress	N/A	A/N	10	N/A	0
Street Direction	StreetDirection	Lists the consumer's street direction of the service address.	E	StreetDirection	N/A	ServiceAddress	N, S, E, W, NW, NE, SW, or SE	Enumerated: N S E W NW NE SW SE	N/A	N/A	0
Unit Number	UnitNumber	Indicates the unit (apartment) number for the service address.	E	UnitNumber	N/A	ServiceAddress	N/A	A/N	10	N/A	0
Unit Type	UnitType	Indicates the unit type (such as APT, Suite) of the service address. Can be Nullable	Е	UnitType	N/A	ServiceAddress	N/A	A/N	10	N/A	Ó
City	City	Indicates the city for the service address.	E	City	N/A	ServiceAddress	N/A	A/N	30	N/A	M
Province	Province	Indicates the province for the service address.	E	Province	N/A	ServiceAddress	ON, QC	Enumerated: ON QC	N/A	N/A	М
Postal code	PostalCode	Indicates the postal code for the service address.	E	PostalCode	N/A	ServiceAddress	N/A	A/N	6	N/A	0
= Illustrates the position of the		1									
decimal point in reference to the overall											
length of the field.											
N/A = Not applicable							1				
Enumerated= The only valid values are											
listed.											
Date= Date format used.											

			Enrol .	Accept Gas Im	plementation	Guide for Ont	ario v1.1				
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh / New	Optional/Mandatory/ Conditional
PIPE Document	PIPEDocument	Document type name, stands for		PIPEDocument	MarketParticipantDirectory,	N/A	N/A	N/A	N/A	N/A	1 PIPE Document per PIPE
PIPE Document		Participant Interface Process for Energy.			PIPTransaction						Document
XML Name Space	xmlns	Uniquely identifies the XML name	Α	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
XML Name Space Schema Instance	xmlns:xsi	space. Defines the schema instance being	Α	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
XML Schema Instance location	xsi:schemaLocation	used. Associates the actual schema instance being used to the name space.	А	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
Version	Version	Identifies the version of the	Α	PIPEDocument	N/A	N/A	N/A	A/N	5	N/A	М
Document Reference Number	DocumentReferenceNumber	PIPEDocument schema. Uniquely identifies this PIPEDocument.	Α	PIPEDocument	N/A	N/A	N/A	A/N	30	N/A	М
Creation Date and Time	CreationDate	System date and time stamp of when	A	PIPEDocument	N/A	N/A	N/A	Date (yyyymmddhhmmssmsstz)	19	N/A	М
Market Participant Directory	MarketParticipantDirectory	the transaction is generated. Contains tags that define all the Market Participants involved in the particular	E	MarketParticipantDirectory	Recipient, Sender	PIPEDocument	(see Market Participant Directory data structure)	N/A	N/A	N/A	M
PIP Transaction	PIPTransaction	PIP transaction. Indicates the beginning of a PIP	E	PIPTransaction	EnrolAccept	PIPEDocument	(see PIP Transaction data	N/A	N/A	N/A	1 or more
		transaction.			1		structure)				1
Market Participant Directory	MarketParticipantDirectory	Contains tags that define all the Market Participants involved in the particular PIP transaction.		MarketParticipantDirectory	Recipient, Sender	PIPEDocument	N/A	N/A	N/A	N/A	1 Market Participant Directory per PIPE Document
Sender	Sender	Used to identify the sender of the PIPE document.	Е	Sender	MarketParticipant	MarketParticipantDirectory	(see Sender data structure)	N/A	N/A	N/A	М
Recipient	Recipient	Used to identify the recipient of the PIPE document.	E	Recipient	MarketParticipant	MarketParticipantDirectory	(see Recipient data structure)	N/A	N/A	N/A	М
Sender	Sender	Used to identify the sender of the PIPE		Sender	MarketParticipant	MarketParticipantDirectory	N/A	N/A	N/A	N/A	1 Sender per Market
Market Participant	MarketParticipant	document. Identifies the Market Participants.	Е	MarketParticipant	CompanyName, MarketParticipantIdentifier	Sender	(see Market Participant data structure)	N/A	N/A	N/A	Participant Directory M
Recipient	Recipient	Used to identify the recipient of the		Recipient	MarketParticipant	MarketParticipantDirectory	N/A	N/A	N/A	N/A	1 Recipient per Market
Market Participant	MarketParticipant	PIPE document. Identifies the Market Participants.	E	MarketParticipant	CompanyName.	Recipient	(see Market Participant data	N/A	N/A	N/A	Participant Directory M
manor ratopan	manor anopan	racitation the market i disaparte.	_	markon arasipani	MarketParticipantIdentifier	тоорых	structure)	14/		1971	
Market Participant	MarketParticipant	Identifies the Market Participants.		MarketParticipant	CompanyName, MarketParticipantIdentifier	Recipient, Sender	N/A	N/A	N/A	N/A	1 Market Participant per Sender and 1 per Recipient
Company Name	CompanyName	Tag used to define the name of the company a Consumer already has service with or would like to establish service with.	E	CompanyName	N/A	MarketParticipant	N/A	String	60	N/A	М
Market Participant Identifier	MarketParticipantIdentifier	Tag used to uniquely identify a company or business.	E	MarketParticipantIdentifier	N/A	MarketParticipant	N/A	A/N	10	N/A	М
PIP Transaction	PIPTransaction	Indicates the beginning of a PIP		PIPTransaction	EnrolReject	PIPEDocument	N/A	N/A	N/A	N/A	1 or more PIP Transaction
i ii rianoaotion		transaction.									per PIPE Document
Version	Version	Identifies the version of the PIP Document schema.	Α	PIPTransaction	N/A	N/A	N/A	A/N	5	R	М
Transaction Reference Number	TransactionReferenceNumber	Uniquely identifies this PIP transaction.	Α	PIPTransaction	N/A	N/A	N/A	A/N	30	N/A	М
Enrol Accept (purpose of transaction)	EnrolAccept	Tag used to nest all data relevant to a Consumer enrol	E	EnrolAccept	PoolPriceInformation, AccountInformation, AdditionalInformation	PIPTransaction	(see Enrol Accept data structure)	N/A	N/A	N/A	М
	EnrolAccept	Tag used to nest all data relevant to a		EnrolAccept	PoolPriceInformation,	PIPTransaction	N/A	N/A	N/A	l N/A	1 Enrol Accept per PIP
Enrol Accept	Епомссері	Consumer enrol		Ептогассері	AccountInformation, Additional Information	FIFTIANSACION	N/A	I IVA	N/A	N/A	Transaction
Original Transaction Reference Number	OriginalTransactionReferenceN umber	Attribute that references the original Enrol Request transaction.	Α	EnrolAccept	N/A	N/A	N/A	A/N	30	E	М
Pool Price Information	PoolPriceInformation	Tag used to nest all relevant Distributor Pool and Price Information	E	PoolPriceInformation	DistributorNewPoolld, DistributorNewPricePointId, EffectiveDate	EnrolAccept	(see Pool/Price Information data structure)	N/A	N/A	N/A	М
Account Information	AccountInformation	Tag used to hold all the information relevant to an account.	E	AccountInformation	ServiceClass, RateClass, BillingCycle, ValidationInformation, ConsumerInformation, ServiceAddress, BillingAddressFormatted, Billing AddressUnFormatted, VendorConsumerAccountNumber	EnrolAccept	(see Account Information data structure)	N/A	N/A	N/A	М
Additional Information	AdditionalInformation	A tag that contains all information relevant to a set of parameters and values to support a response.	E	AdditionalInformation	ParameterName, ParameterValue	EnrolAccept	N/A	N/A	N/A	N/A	0

			Enrol .	Accept Gas Im	plementation	Guide for Ont	tario v1.1				
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh / New	Optional/Mandatory/ Conditional
Pool/Price Information	PoolPriceInformation	Tag used to nest all relevant Distributor Pool and Price Information		PoolPriceInformation	DistributorNewPoolld DistributorNewPricePointId, EffectiveDate	EnrolAccept	N/A	N/A	N/A	N/A	M
DistributorNew Pool Identifier	DistributorNewPoolId	This contains the Distributor Pool name (Pool ID) to which the account is being enrolled.	Е	DistributorNewPoolld	N/A	PoolPriceInformation	N/A	N/A	40	E	М
DistributorNew Price Point Identifier	DistributorNewPricePointId	This contains the distributor PricePointID to which the account is being enrolled.	E	DistributorNewPricePointId	N/A	PoolPriceInformation	N/A	N/A	40	E	0
Effective Date	EffectiveDate	This is the date on which the transaction is to be implemented (takes effect).	Е	EffectiveDate	N/A	PoolPriceInformation	N/A	Date (YYYYMMDD)	8	E	М
Account Information	AccountInformation	Tag used to hold all the information relevant to an account.		AccountInformation	ServiceClass, RateClass, BillingCycle, ValidationInformation, ConsumerInformation, ServiceAddress, BillingAddressFormatted, Billing AddressUnFormatted, VendorConsumerAccountNumber	EnrolAccept	N/A	N/A	N/A	N/A	1 Account Information per Enrol Accept
Language Indicator	LanguageIndicator	Attribute which specifies the language preference for the Consumer account. Provided as information Only.	А	LanguageIndicator	N/A	N/A	English or French	Enumerated (English French)	N/A	R	М
Billing Method	BillingMethod	Attribute which specifies the billing method for the account. Other billing methods will be added when required.	А	BillingMethod	N/A	N/A	DistributorRateReady, SplitNoConsumption	Enumerated (DistributorRateReady SplitNoConsumption)	N/A	E	М
Service Class	ServiceClass	Indicates the service class for the specified account. R=Residential C= Commercial I= Industrial	E	ServiceClass	N/A	AccountInformation	R, C, I,	Enumerated (R C I)	N/A	N	0
Rate Class	RateClass	Indicates the distribution service as defined in the Distributor's Rate Schedule.	Е	RateClass	N/A	AccountInformation	N/A	A/N	5	N	0
Billing Cycle	BillingCycle	Indicates the billing cycle for the specified account.	Е	BillingCycle	N/A	AccountInformation	N/A	A/N	10	R	М
Validation Information	ValidationInformation	A tag that contains all information relevant to the validation of a particular account.	Е	ValidationInformation	AccountValidator, NameValidator, AddressValidator	AccountInformation	(see Validation Information data structure)	N/A	N/A	N/A	М
Consumer Information	ConsumerInformation	Tag used to nest all relevant Consumer information.	Е	ConsumerInformation	LastName, FirstName, MiddleName, ContactInformation	AccountInformation	N/A	N/A	N/A	N/A	М
Service Address	ServiceAddress	Used to specify the service address.	Е	BillingMethod	StreetNumber, StreetNumberSuffix, StreetName, StreetType, StreetDirection, UnitNumber, UnitType, City, Province, PostalCode	AccountInformation	N/A	N/A	N/A	N/A	М
Billing Address Formatted	BillingAddressFormatted	Identifies the billing address of the account	Е	BillingAddressFormatted	Street Number, UnitNumber, City, Province, PostalCode, CountryCode	AccountInformation	N/A	N/A	N/A	N/A	0
Billing Address Unformatted	BillingAddressUnformatted	Identifies the billing address of the account	Е	BillingAddressUnformatted	BillingAddressLine1, BillingAddressLine2, BillingAddressLine3, BillingAddressLine4	AccountInformation	N/A	N/A	N/A	N/A	0
Distributor Account Number	DistributorAccountNumber	The distributor's Consumer account number as it appears on the bill	Е	DistributorAccountNumber	N/A	ValidationInformation	N/A	A/N	30	R	М
Old Distributor Account Number	OldDistributorAccountNumber	Attribute defining previous account number for this Consumer. On a Vendor originated drop this field will be optional if populated it will be ignored by Distributor.	Е	OldDistributorAccountNumber	N/A	AccountInformation	N/A	A/N	30	R	0
Account Number Switch Date	AccountNumberSwitchDate	Date the account changed from the previous account number to the current account number.	Е	AccountNumberSwitchDate	N/A	AccountInformation	N/A	Date (YYYYMMDD)	8	R	0
Vendor Consumer Account Number	VendorConsumerAccountNumb er	b This contains Vendor's identifier for the consumer. This value is not validated and is returned in the response document.	E	VendorConsumerAccountNum ber	N/A	AccountInformation	N/A	A/N	100	E	0
Validation Information	ValidationInformation	A tag that contains all information relevant to the validation of a particular account.		ValidationInformation	DistributorAccountNumber, NameValidator, AddressValidator	AccountInformation	N/A	N/A	N/A	N/A	1 Validation Information per Account Information
Distributor Account Number	DistributorAccountNumber	The distributor's Consumer account number as it appears on the bill	E	DistributorAccountNumber	N/A	ValidationInformation	N/A	A/N	30	R	М
Name Validator	NameValidator	The Consumer's name as it appears on the bill, (first four alpha-numeric print characters, uppercase only, (A-Z and 0-9) left to right with special characters and blanks excluded).		NameValidator	N/A	ValidationInformation	N/A	A/N	4	R	М
Address Validator	AddressValidator	The Consumer's address defined as the postal code of the billing address.	Е	AddressValidator	N/A	ValidationInformation	N/A	A/N	10	R	М

					plementation	1				1	
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh / New	Optional/Mandatory Conditional
Consumer Information	ConsumerInformation	Tag used to nest all relevant Consumer information.		ConsumerInformation	LastName, FirstName, MiddleName	AccountInformation	N/A	N/A	N/A	N/A	1 Service Consumer Information per Enrol Accept
Last Name	LastName	Identifies the last name of a person or Business	E	LastName	N/A	ConsumerInformation	N/A	String	100	R	М
First Name	FirstName	Identifies the first name of a person.	E	FirstName	N/A	ConsumerInformation	N/A	A/N	30	R	0
Middle Name	MiddleName	Identifies the middle name of a person.	E	MiddleName	N/A	ConsumerInformation	N/A	A/N	30	R	0

	T		Enrol	Accept Gas Im	plementation	Guide for Ont	ario v1.1	T		1	ı
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length	Echo / Refresh / New	Optional/Mandatory Conditional
Service Address	ServiceAddress	This is the container element for the consumer's address of service (premises address).		ServiceAddress	StreetNumber, StreetNumberSuffix, StreetName, StreetType, StreetDirection, UnitNumber, UnitType, City, Province, PostalCode	AccountInformation	N/A	N/A	N/A	N/A	М
Street Number Street Number Suffix	StreetNumber StreetNumberSuffix	Indicates the service street number. Indicates the street number for the	E	StreetNumber StreetNumberSuffix	N/A N/A	ServiceAddress ServiceAddress	N/A N/A	A/N A/N	10	R R	0
Street Name	StreetName	Service address. Street Number could be Lot and Concession	E	StreetName	N/A	ServiceAddress	N/A	A/N	10	R	M
Street Type	StreetType	Ave, Street, Road	E	StreetType	N/A	ServiceAddress	N/A	A/N	10	R	0
Street Direction Unit Number	StreetDirection UnitNumber	Lists the consumer's street direction of the service address. Indicates the unit (apartment) number	E	StreetDirection UnitNumber	N/A N/A	ServiceAddress ServiceAddress	N, S, E, W, NW, NE, SW, or SE	Enumerated: N S E W NW NE SW SE A/N	N/A 10	R	0
Unit Type	UnitType	for the service address. Indicates the unit (apartment) number for the service address.	E	UnitType	N/A	ServiceAddress	N/A	A/N	10	R	0
City	City	Suite) of the service address. Indicates the city for the service	F	City	N/A	ServiceAddress	N/A	A/N	30	R	M
Province	Province	address. Indicates the province for the service	E	Province	N/A	ServiceAddress	ON	Enumerated: ON	N/A	N/A	M
Postal code	PostalCode	address. Indicates the zip or postal code for the	E	PostalCode	N/A	ServiceAddress	N/A	A/N	6	R	0
		service address.	-						_	1	_
Billing Address Formatted	BillingAddressFormatted	Identifies the billing address of the account		BillingAddressFormatted	Street Number, UnitNumber, City, Province, PostalCode, CountryCode	AccountInformation	N/A	N/A	N/A	N/A	0 or 1 Billing Information per Enrol Accept
Street Name	StreetName	Service street name or Lot and Concession	E	StreetName	N/A	BillingAddressFormatted	N/A	A/N	55	N	0
Street Number Unit Number	StreetNumber UnitNumber	Indicates the billing street address. Indicates the unit number for the billing address.	E E	StreetAddress UnitNumber	N/A N/A	BillingAddressFormatted BillingAddressFormatted	N/A N/A	A/N A/N	10 10	N N	M O
City	City	Indicates the city for the billing address.	Е	City	N/A	BillingAddressFormatted	N/A	A/N	30	N	0
Province	Province	Indicates the state or the province for the service address.	E	Province	N/A	BillingAddressFormatted	ON	Enumerated: ON	N/A	N/A	М
Postal Code	PostalCode	Indicates the zip or postal code for the billing address.	Е	PostalCode	N/A	BillingAddressFormatted	N/A	A/N	10	N	0
Country Code	CountryCode	Indicates the country code for the billing address. (Suggest using Canada Posts standard for Country Code)	Е	CountryCode	N/A	BillingAddressFormatted	N/A	A/N	3	N	0
				7						ļ	
Billing Address Unformatted	BillingAddressUnformatted	Identifies the billing address of the account		BillingAddressUnformatted	BillingAddressLine1, BillingAddressLine2, BillingAddressLine3, BillingAddressLine4	AccountInformation	N/A	N/A	N/A	N/A	0 or 1 Billing Information per Enrol Accept
Billing Address Line 1	BillingAddressLine1	This contains the first line of the mailing address of the consumer.	Е	BillingAddressLine1	N/A	BillingAddressUnformatted	N/A	String	100	N	0
Billing Address Line 2	BillingAddressLine2	This contains the second line of the mailing address of the consumer.	Е	BillingAddressLine2	N/A	BillingAddressUnformatted		String	100	N	0
Billing Address Line 3	BillingAddressLine3	This contains the third line of the mailing address of the consumer.	Е	BillingAddressLine3	N/A	BillingAddressUnformatted		String	100	N	0
Billing Address Line 4	BillingAddressLine4	This contains the fourth line of the mailing address of the consumer.	E	BillingAddressLine4	N/A	BillingAddressUnformatted	N/A	String	100	N	0
Additional Information	AdditionalInformation	A tag that contains all information relevant to a set of parameters and values to support a response.		AdditionalInformation	ParameterName, ParameterValue	EnrolAccept	N/A	N/A	N/A	N/A	0
Parameter Name	ParameterName	This is stores the name identifier of the dynamic data being passed in addition to the current status of the STR.	Е	ParameterName	N/A	AdditionalInformation	N/A	A/N	80	N	М
Parameter Value	ParameterValue	This contains the actual value of the additional information accompanying the status and identified by the parameter name.	E	ParameterValue	N/A	AdditionalInformation	N/A	A/N	100	N	М
Data Type Legend: A/N = Alpha Numeric (Field allows for alphabetic values, numeric values, as well as any combination of alphabetic and numeric values) N = Numeric (no decimals)											
D = Decimal with total field length in paren = Illustrates the position of the decimal point in reference to the overall length of the field.	thesis ()										
N/A = Not applicable Enumerated= The only valid values are listed.											
Date= Date format used.											

			Enrol	Reject Gas Imp	lementation (Guide for Onta	rio v1.1				
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length		Optional/Mandato ry/Conditional
PIPE Document	PIPEDocument	Document type name, stands for		PIPEDocument	MarketParticipantDirectory,	N/A	N/A	N/A	N/A	N/A	1 PIPE Document per
		Participant Interface Process for Energy.			PIPTransaction						PIPE Document
XML Name Space	xmlns	Uniquely identifies the XML name space.	Α	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
XML Name Space Schema Instance	xmlns:xsi	Defines the schema instance being used.	Α	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
XML Schema Instance location	xsi:schemaLocation	Associates the actual schema instance being used to the name space.	А	PIPEDocument	N/A	N/A	N/A	A/N	250	N/A	М
Version	Version	Identifies the version of the PIPEDocument schema.	A	PIPEDocument	N/A	N/A	N/A	A/N	5	N/A	М
Document Reference Number	DocumentReferenceNumber	Uniquely identifies this PIPEDocument.	Α	PIPEDocument	N/A	N/A	N/A	A/N	30	N/A	М
Creation Date and Time	CreationDate	System date and time stamp of when	A	PIPEDocument	N/A	N/A	N/A	Date (yyyymmddhhmmssmsstz)	19	N/A	М
Market Participant Directory	MarketParticipantDirectory	the transaction is generated. Contains tags that define all the Market Participants involved in the particular	E	MarketParticipantDirectory	Recipient, Sender	PIPEDocument	(see Market Participant Directory data structure)	N/A	N/A	N/A	М
PIP Transaction	PIPTransaction	PIP transaction. Indicates the beginning of a PIP transaction.	E	PIPTransaction	EnrolReject	PIPEDocument	(see PIP Transaction data structure)	N/A	N/A	N/A	1 or more
Market Participant Directory		Contains tags that define all the Market Participants involved in the particular PIP transaction.		MarketParticipantDirectory	Recipient, Sender	PIPEDocument	N/A	N/A	N/A		1 Market Participant Directory per PIPE Document
Sender	Sender	Used to identify the sender of the PIPE document.	E	Sender	MarketParticipant	MarketParticipantDirectory	(see Sender data structure)	N/A	N/A	N/A	М
Recipient	Recipient	Used to identify the recipient of the PIPE document.	E	Recipient	MarketParticipant	MarketParticipantDirectory	(see Recipient data structure)	N/A	N/A	N/A	М
Sender	Sender	Used to identify the sender of the PIPE document.		Sender	MarketParticipant	MarketParticipantDirectory	N/A	N/A	N/A	N/A	1 Sender per Market Participant Directory
Market Participant	MarketParticipant	Identifies the Market Participants.	E	MarketParticipant	CompanyName, MarketParticipantIdentifier	Sender	(see Market Participant data structure)	N/A	N/A	N/A	М
Recipient	Recipient	Used to identify the recipient of the PIPE document.		Recipient	MarketParticipant	MarketParticipantDirectory	N/A	N/A	N/A	N/A	1 Recipient per Market Participant Directory
Market Participant	MarketParticipant	Identifies the Market Participants.	E	MarketParticipant	CompanyName, MarketParticipantIdentifier	Recipient	(see Market Participant data structure)	N/A	N/A	N/A	М
Market Participant	MarketParticipant	Identifies the Market Participants.		MarketParticipant	CompanyName, MarketParticipantIdentifier	Recipient, Sender	N/A	N/A	N/A	N/A	1 Market Participant per Sender and 1 per Recipient
Company Name	CompanyName	Tag used to define the name of the company a Consumer already has service with or would like to establish service with.	Е	CompanyName	N/A	MarketParticipant	N/A	String	60	N/A	M
Market Participant Identifier	MarketParticipantIdentifier	Tag used to uniquely identify a company or business.	E	MarketParticipantIdentifier	N/A	MarketParticipant	N/A	A/N	10	N/A	М
PIP Transaction	PIPTransaction	Indicates the beginning of a PIP transaction.		PIPTransaction	EnrolReject	PIPEDocument	N/A	N/A	N/A	N/A	1 or more PIP Transaction per PIPE Document
Version	Version	Identifies the version of the PIP	Α	PIPTransaction	N/A	N/A	N/A	A/N	5	N/A	М
Transaction Reference Number	TransactionReferenceNumber	Uniquely identifies this PIP transaction.	А	PIPTransaction	N/A	N/A	N/A	A/N	30	N/A	М
Enrol Reject (purpose of transaction)	EnrolReject	Tag used to nest all data relevant to Consumer enrol	E	EnrolReject	PoolPriceInformation, AccountInformation, ConsumerInformation, ServiceAddress, BillingAddress	PIPTransaction	(see Enrol Reject data structure)	N/A	N/A	N/A	М
Enrol Reject	EnrolReject	Tag used to nest all data relevant to		EnrolReject	RejectInformation, AccountInformation,	PIPTransaction	N/A	N/A	N/A	N/A	1 Enrol Reject per PIP
Original Transaction Reference Number	OriginalTransactionReferenceN umber		A	OriginalTransactionReferenceN umber	N/A	EnrolReject	N/A	A/N	30	E	M
Pool Price Information	PoolPriceInformation	Tag used to nest all relevant Distributor Pool and Price Information	E	PoolPriceInformation	DistributorNewPoolld, DistributorNewPricePointId, EffectiveDate	EnrolReject	N/A	N/A	N/A	N/A	М
Reject Information	RejectInformation	Tag used to nest relevant reject information for the account.	E	RejectInformation	Reason, AdditionalInformation	EnrolReject	N/A	N/A	N/A	N/A	1 or more Reject Information per Enrol Reject
Account Information	AccountInformation	Tag used to hold all the information relevant to an account.	E		ValidationInformation, ConsumerInformation, ServiceAddress, BillingAddressFormatted, BillingAddressUnFormatted, VendorConsumerAccountNu mber	EnrolReject	(see Account Information data structure)	N/A	N/A	N/A	Reject M

			Enroi	reject Gas imp	nementation G	uide for Onta	1110 V1.1	Г			
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length		Optional/Mandate ry/Conditional
Reject Information	RejectInformation	Tag used to nest relevant reject information for the account.		RejectInformation	RejectReason, AdditionalInformation	EnrolReject	N/A	N/A	N/A	N/A	1 or more Reject Information per Enrol Reject
Reject Reason	RejectReason	Indicates the reason for the Enrol Reject	ER	ejectReason	N/A	RejectInformation	AccountDoesNotExist AccountFinal AccountNotEligible ContestAireadyUnderway DuplicateRequest DuplicateTRN EffectiveDateBebyondMaxLeadTime EffectiveDateMustBeForNextPooTFerm EffectiveDateNotEyondMinLeadTime EffectiveDateNotEyondMinLeadTime EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth EffectiveDateNotFirstofMonth InvalidExiteDateNotFirstofMonth LookupFailedStreetNotFirstofMonth LookupFailedStreetNamePostalCode LookupNotEligibleAccountNumberProvi ded PendingBrool PendingMove PooIDeliveryAreaMismatch PooIPendingTermination PricePointDoesNotExist PricePointINDotActive ValidationFailed	Time EffectiveDateNotFirstofMonth		N	М
Additional Information	AdditionalInformation	A tag that contains all information relevant to a set of parameters and values to support a response.	E	AdditionalInformation	ParameterName, ParameterValue	RejectInformation	N/A	N/A	N/A	N/A	0
Pool/Price Information	PoolPriceInformation	Tag used to nest all relevant Distributor Pool and Price Information	P	oolPriceInformation	DistributorNewPoolld DistributorNewPricePointId, EffectiveDate	EnrolReject	N/A	N/A	N/A	N/A	М
DistributorNew Pool Identifier	DistributorNewPoolld	This contains the Distributor Pool name (Pool ID) to which the account is being enrolled.		istributorNewPoolld	N/A	PoolPriceInformation	N/A	N/A	40	E	M
DistributorNew Price Point Identifier	DistributorNewPricePointId	This contains the distributor PricePointID to which the account is being enrolled.		istributorNewPricePointId	N/A	PoolPriceInformation	N/A	N/A	40	E	0
Effective Date	EffectiveDate	This is the date on which the transaction is to be implemented (takes effect). Echoed from request.	E	EffectiveDate	N/A	PoolPriceInformation	N/A	Date (YYYYMMDD)	8	E	М
	Aggregation	Top your to hold all the information		A a a a unit of a smotio	Validation laformatic	FarelDaioet	T N/A	N/A	I N/A	N/A	1 Apparent Information
Account Information	AccountInformation	Tag used to hold all the information relevant to an account.		AccountInformation	ValidationInformation, ConsumerInformation, ServiceAddress, BillingAddressFormatted, BillingAddressUnFormatted, VendorConsumerAccountNu mber	EnrolReject	N/A	N/A	N/A	N/A	1 Account Information per Enrol Reject
Language Indicator	LanguageIndicator	Attribute which specifies the language preference for the Consumer account. Provided as Information only.	А	LanguageIndicator	N/A	N/A	English or French	Enumerated (English French)	N/A	E	М
Billing Method	BillingMethod	Attribute which specifies the billing method for the account. Other Billing methods will be added as needed.	А	BillingMethod	N/A	N/A	DistributorRateReady, SplitNoConsumption	Enumerated (DistributorRateReady SplitNoConsumption)	N/A	E	М
Validation Information	ValidationInformation	A tag that contains all information relevant to the validation of a particular account.	E	ValidationInformation	AccountValidator, NameValidator, AddressValidator	AccountInformation	(see Validation Information data structure)	N/A	N/A	N/A	М
Consumer Information	ConsumerInformation	Tag used to nest all relevant Consumer information.	E	ConsumerInformation	LastName, FirstName, MiddleName, ContactInformation	AccountInformation	N/A	N/A	N/A	N/A	М
Service Address	ServiceAddress	Used to specify the service address.	E	ServiceAddress	StreetAddress, UnitNumber, City, Province, PostalCode	AccountInformation	N/A	N/A	N/A	N/A	М

Field Display Names	XML names	Definition	Attribute /	Element Name	Child Elements	Parent Elements	Valid Information in Field	Data Type	Field Length	Echo /	Optional/Mandate
			Element				(enumeration)			Refresh / New	ry/Conditional
Billing Address Formatted	BillingAddressFormatted	Used to specify the Billing address.	E	BillingAddressFormatted	StreetName, StreetNumber,UnitNumber, City, Province, PostalCode, CountryCode	AccountInformation	N/A	N/A	N/A	N/A	0
Billing Address Unformatted	BillingAddressUnformatted	Used to specify the Billing address.	E	BillingAddressUnformatted	BillingAddressLine1, BillingAddressLine2, BillingAddressLine3, BillingAddressLine4	AccountInformation	N/A	N/A	N/A	N/A	Ö
Vendor Consumer Account Number	VendorConsumerAccountNumb er	This contains Vendor's identifier for the consumer. This value is not validated and is returned in the response document.	E	VendorConsumerAccountNum ber	N/A	AccountInformation	N/A	A/N	100	E	0
Validation Information	ValidationInformation	A tag that contains all information relevant to the validation of a particular account.		ValidationInformation	AccountValidator, NameValidator, AddressValidator	AccountInformation	N/A	N/A	N/A		1 Validation Information per Account Information
Distributor Account Number	DistributorAccountNumber	The distributor's Consumer account number as it appears on the bill (Refreshed only upon successful Lookup.)	E	DistributorAccountNumber	N/A	ValidationInformation	N/A	A/N	30	E/R	М
Name Validator	NameValidator	The Consumer's name as it appears on the bill, (first four alpha-numeric print characters, uppercase only, (A-Z and 0-9) left to right with special characters and blanks excluded). Refreshed only upon successful Lookup.)		Name Validator	N/A	ValidationInformation	N/A	AN	4	E/R	М
Address Validator	AddressValidator	The Consumer's address defined as the postal code of the billing address. Refreshed only upon successful Lookup.)	E	AddressValidator	N/A	ValidationInformation	N/A	A/N	10	E/R	М
				,					·		
Consumer Information	ConsumerInformation	Tag used to nest all relevant Consumer information.		ConsumerInformation	LastName, FirstName, MiddleName	AccountInformation	N/A	N/A	N/A		0 or 1 Service Consumer Information per Enrol Reject
Last Name	LastName	Identifies the last name of a person or business.	E	LastName	N/A	ConsumerInformation	N/A	String	30	E	M
First Name Middle Name	FirstName MiddleName	Identifies the first name of a person. Identifies the middle name of a person.	E E	FirstName MiddleName	N/A N/A	ConsumerInformation ConsumerInformation	N/A N/A	A/N A/N	30 30	E E	0
wildle Name	ividuleivanie	identifies the middle flame of a person.	_	Wilduleivairie	IN/A	Consumentionnation	184	AVIN	30	_	O
Service Address	ServiceAddress	Used to specify the service address.		ServiceAddress	StreetNumber, StreetNumberSuffix, StreetName, StreetType, StreetDirection, UnitNumber, UnitType, City, Province, PostalCode	AccountInformation	N/A	N/A	N/A	N/A	M
Street Number Street Number Suffix	StreetNumber StreetNumberSuffix	Indicates the service street number. Indicates the street number suffix for	E E	StreetNumber StreetNumberSuffix	N/A N/A	ServiceAddress ServiceAddress	N/A N/A	A/N A/N	10	E F	0
Street Name	StreetName	the service address. Street name and could be represent as	E	StreetName	N/A	ServiceAddress	N/A	A/N	55	E	М
		Lot and Concession									
Street Type Street Direction	StreetType StreetDirection	Ave, Street, Road Lists the consumer's street direction of	E F	StreetType StreetDirection	N/A N/A	ServiceAddress ServiceAddress	N/A N, S, E, W, NW, NE, SW, or SE	A/N Enumerated: N S E W	10 N/A	E E	0
		the service address.						NW NE SW SE		_	
Unit Number	UnitNumber	Indicates the unit (apartment) number for the service address.	E	UnitNumber	N/A	ServiceAddress	N/A	A/N	10	E	0
Unit Type	UnitType	Indicates the unit type (such as APT, Suite) of the service address.	E	UnitType	N/A	ServiceAddress	N/A	A/N	10	E	0
City	City	Indicates the city for the service address.	E	City	N/A	ServiceAddress	N/A	A/N	30	E	М
Province	Province	Indicates the state or the province for the service address.	E	Province	N/A	ServiceAddress	ON	Enumerated: ON	N/A	N/A	М
Postal code	PostalCode	Indicates the zip or postal code for the	E	PostalCode	N/A	ServiceAddress	N/A	A/N	6	E	M

1									1		
Field Display Names	XML names	Definition	Attribute / Element	Element Name	Child Elements	Parent Elements	Valid Information in Field (enumeration)	Data Type	Field Length		Optional/Mandato w ry/Conditional
Billing Address Formatted	BillingAddressFormatted	Identifies the billing address of the account		BillingAddressFormatted	StreetName, Street Number,UnitNumber, City, Province, PostalCode, CountryCode	AccountInformation	N/A	N/A			0 or 1 Service Information per Enrol Reject
Street Name	StreetName	Service street name or Lot and Concession	E	StreetName	N/A	BillingAddressFormatted	N/A	A/N	55	N/A	N/A
Street Number	StreetNumber	Indicates the service street address.	E	StreetAddress	N/A	BillingAddressFormatted	N/A	A/N	55	N/A	Ó
Unit Number	UnitNumber	Indicates the unit number for the service address.	E	UnitNumber	N/A	BillingAddressFormatted	N/A	A/N	10	N/A	0
City	City	Indicates the city for the service address.	E	City	N/A	BillingAddressFormatted	N/A	A/N	30	N/A	0
Province	Province	Indicates the state or the province for the service address.	E	Province	N/A	BillingAddressFormatted	N/A	A/N	2	N/A	0
Postal Code	PostalCode	Indicates the zip or postal code for the service address.	E	PostalCode	N/A	BillingAddressFormatted	N/A	A/N	10	N/A	0
Country Code	CountryCode	Indicates the country code for the service address. (Suggest using Canada Posts standard for Country Code)	E	CountryCode	N/A	BillingAddressFormatted	N/A	A/N	3	N/A	0
Billing Address Unformatted	BillingAddressUnformatted	Identifies the billing address of the account		BillingAddressUnformatted	BillingAddressLine1, BillingAddressLine2, BillingAddressLine3, BillingAddressLine4	AccountInformation	N/A	N/A			0 or 1 Billing Information per Enrol Reject
Billing Address Line 1	BillingAddressLine1	This contains the first line of the mailing address of the consumer.	E	BillingAddressLine1	N/A	BillingAddressUnformatted	N/A	String	100	N/A	0
Billing Address Line 2	BillingAddressLine2	This contains the second line of the mailing address of the consumer.	E	BillingAddressLine2	N/A	BillingAddressUnformatted	N/A	String	100	N/A	0
Billing Address Line 3	BillingAddressLine3	This contains the third line of the mailing address of the consumer.	E	BillingAddressLine3	N/A	BillingAddressUnformatted	N/A	String	100	N/A	0
Billing Address Line 4	BillingAddressLine4	This contains the fourth line of the mailing address of the consumer.	E	BillingAddressLine4	N/A	BillingAddressUnformatted	N/A	String	100	N/A	0
Additional Information	Additional Information	A tag that contains all information relevant to a set of parameters and values to support a response.		AdditionalInformation	ParameterName, ParameterValue	RejectInformation	N/A	N/A	N/A	N/A	0
Parameter Name	ParameterName	This is stores the name identifier of the dynamic data being passed in addition to the current status of the STR.	E	ParameterName	N/A	AdditionalInformation	N/A	A/N	80	N	М
Parameter Value	ParameterValue	This contains the actual value of the additional information accompanying the status and identified by the parameter name.	E	ParameterValue	N/A	AdditionalInformation	N/A	A/N	100	N	М
Data Type Legend: A/N = Alpha Numeric (Field allows for alphabetic values, numeric values, as well as any combination of alphabetic and numeric values)											
N = Numeric (no decimals) D = Decimal with total field length in parenth	nesis ()				-					-	+
= Illustrates the position of the decimal point in reference to the overall length of the field.											
N/A = Not applicable Enumerated= The only valid values are											
listed.											