



Cornerstone Hydro Electric Concepts Association Inc.

CHEC-RP-2004-0203/EB-2004-0502

Conservation and Demand Annual Report

1.0 Introduction:

This report summarizes the activity and successes of the Cornerstone Hydro Electric Concepts (CHEC) Group with respect to conservation and demand management undertaken in 2005. Included in this document are the sixteen (16) individual reports from the CHEC members that discuss their specific program activities and the associated insights of the members.

Consistent with CHEC members' cooperative effort to seek approval of their CDM plans as a combined group, the Annual Report reflects their commitment to work together to provide cost effective programs and to share and learn from each other's experience. Although this report is submitted as one document it is clear from the individual reports that each utility brings its own perspective and goals to the CDM activities.

Within the 16 utilities there have been a total of ninety-two (92) initiatives. These initiatives represent projects specific to individual utilities and others that are similar or a cooperative effort between utilities (Conservation Website, EnergyShop.com). Some utilities have focused on promoting and providing energy efficient technology to their customers with the associated kWh savings, while others have been more focused on laying the foundation for future programs. To achieve the "conservation culture", the overriding goal in Ontario, both types play an important role.

CHEC with its dynamic relationship, positions members well to learn from and leverage the experience of others. The combined report as well as meeting the regulatory requirement, provides a comprehensive summary to CHEC members. This report will help to provide additional insights, as utility staff plan and implement the 2006 and 2007 programs.

The experiences gained in 2005 will be invaluable for the continued development of CDM and the ability to move forward programs that save energy and develop the conservation culture. The experiences gained over 2005 add to the collective knowledge of the industry and sets the stage for on-going improvement in the development, delivery, monitoring and reporting of CDM initiatives.

2.0 CHEC Members:

The 2005 Annual Report on Conservation and Demand Management Activities of the following utilities are included in this report:

Centre Wellington Hydro Ltd. Collus Power Corp Grand Valley Energy Inc. Innisfil Hydro Lakefront Utilities Inc. Lakeland Power Distribution Midland Power Utility Corp. Orangeville Hydro Ltd Orillia Power Distribution Corp. Parry Sound Power Wasaga Distribution Inc. Rideau St. Lawrence Wellington North Power Inc. West Coast Huron Energy Inc. Westario Power Woodstock Hydro Services

3.0 Evaluation of the CDM Plan:

Total Portfolio: The 16 CHEC members collectively ran a total of 92 programs. These programs fell within three categories:

- Savings: Delivery of energy saving products or processes: coupons, rebates, free products, etc.
- Education: Providing general energy management information through such activities as: website development, workshops, brochures, etc,
- Foundation: Preparatory work for future programs that include: program research and development, energy audits, system studies, demonstration projects, partnerships, etc.

The program results represent a total energy savings of 29,760,749 kWh at a combined "Utility Cost" of \$908,387 or approximately 3c/kWh. This low cost of energy saved was achieved while providing both education and foundation building programs in addition to the specific initiatives aimed at savings kWh. To put the energy savings in perspective the 29.7 Million kWh represent the annual energy required by 2,400 homes (at 1000 kWh/month).

Figure 1 and Figure 2 illustrates the breakdown of the programs into the three types. From the figure it can be seen that cost and activity generally correlate. Programs aimed at immediate kWh savings represent 36% of the cost while they represent 27% of the programs delivered during the year. Education and Foundation programs, that are expected to return improved kWh savings in the future, represent 64% of the cost and 73% of the activity. From the spending and activity level in the different categories it can be seen that 2005 while providing energy savings has focused on preparing for year two and three of CDM delivery.

Figure 1





Figure 2



Savings Programs: The programs aimed at immediate results focused on energy savings rather than peak demand. The average cost of energy saved through the "Energy Savings" programs was 1.1c/kWh.

The use of product incentives and give-a-ways contributed significantly to achieving immediate energy savings. Programs such as the "Lighten Your Electricity Bill" and local product incentives such as CFL distribution programs resulted in energy savings throughout the membership. The wide scale programs provided an economy of scale while the local programs built on relationships and resources within the community. The product focused programs represented a utility cost of \$163,400 and a lifetime energy savings of 15,692,800 kWh or 1.1c/kWh.

Four system optimization projects (out of a total of twelve) involved field changes completed in 2005 that captured energy savings. The four field projects represent a utility cost of \$163,300 and a lifetime energy savings of 12,793,000 kWh or 1.3c/kWh (note: one program pending review to confirm savings).

Education Programs: These programs while not generating any immediate savings represent the future of CDM within the Province. Incentive programs while providing immediate savings cannot on their own change behaviour within the customer group. Programs aimed at increasing the customer's knowledge of energy use is required if long term savings are desired. As the saying goes – If you give a person a CFL you provide energy savings for 4 years. If you provide a person with the knowledge to save energy you provide energy savings for a lifetime. This is the role of the education programs.

Twenty percent of the total utility cost was spent on providing education to the customers. The activities within this classification vary from providing brochures to detailed customer workshops. Although the results of these programs are not immediate it is believed that they will impact positively on customer participation in future programs and prepare customers to make informed decisions with regards to energy use.

CHEC is in the process of developing a website focused on energy conservation. The website in addition to providing energy management knowledge to the customers will also allow the effective exchange of CDM information between CHEC members. The website funding includes dollars to allow the CHEC membership to engage external resources to assist in developing the site and also assist members with CDM issues of common interest.

It is interesting to note in the "Education" section the experience of one CHEC member (Orillia) with success from an industrial workshop. As a direct result of a "Dollar to Sense" workshop changes were made in an industrial setting that resulted in quantifiable savings. These results were captured because the customer communicated the action and potential energy savings to the utility. The savings of 255,000 kWh annually, clearly illustrates the role "education" can play in obtaining significant energy savings.

Foundation Program: These programs are those initiatives aimed at developing programs that will provide savings in the future. Thirty nine percent of the programs (44% of utility cost) focused on research and development of programs that will be delivered in year two and three of the CDM Plan. At the end of the reporting period however the programs have not been rolled out or have not generated any savings to date. For the purpose of reporting, projected savings have generally not been utilized.

Foundation Programs include initiatives such as: system optimization studies, smart meter preparation, customer audits, demonstration projects and relationship building, to name a few. Unlike education, where the activity is geared to the customer, these programs are aimed at ensuring the appropriate information and processes for the CDM activity of future years. Approaching the end of the first quarter of 2006 it is apparent that there are a number of programs that are moving

forward as a direct result of the foundation work completed in 2005 (e.g. Woodstock finance plan, Orangeville Reduce the Juice)

Net TRC Results: The net TRC result of the combined CHEC CDM activity for 2005 is \$499,756. Although a large number, it is difficult to determine if this represents good success of the overall portfolio. While net TRC measures the dollar benefits of avoided electrical energy cost it does not measure the education and development work that is associated with an on-going CDM program.

Reviewing the individual reports of the CHEC members indicates that ten of the members had positive Net TRCs while six had negative Net TRCs. In isolation one may conclude that anything but a positive TRC is undesirable. However it is proposed that the TRC for the first year of a multi-year program does not reflect the overall value of the effort undertaken and that the overall activity of the utility should be taken into account.

As noted above there has been a significant amount of education and foundation work undertaken by CHEC members. The individual reports indicate a mix of approaches with some focusing on preparatory work, others on immediate deliverables and others on a mix of programs. Depending on the success of programs aimed at delivering immediate savings and the cost of education and foundation programs the Net TRC will vary. Through the sharing of program information and outcomes CHEC members will be able to learn from each others' experiences to continue to deliver effective CDM programs in the future.

4.0 Discussion of Programs:

The individual program discussions from each utility should be examined. These discussions provide the individual utility perspective on the programs as offered in their service territory. The complete Annual CDM Report for each utility is included in the appendices. One copy of the SeeLine Total Resource Cost Test Assessment of the '2005 Lighten Your Electricity Bill' Program is also included in the appendices as a sample of the program evaluation process for the coupon program as reported in CHEC members' reports.

5.0 Lessons Learned:

Each utility report included in the attached appendices includes lessons learned from the 2005 CDM experience for each utility. Although a flavour of the "lessons learned" is summarized in this section the reader is encouraged to review the individual reports for additional insights.

Application of TRC: This report represents the first large scale application of TRC for the evaluation of CD&M programs in Ontario. The TRC model, while forming a base, is seen to encourage "quick return" programs and does not provide any measure of foundation or education programs that are so critical to developing a "conservation culture". It is believed that for future year evaluation of CDM activities the TRC tool needs to be expanded to take into account education and foundation type programs.

Familiarity has been gained with the TRC tool over the past reporting year. The OEB's initiative to provide a set of assumptions assisted with the evaluation of programs and reporting. The need to continue to refine and add to the list of assumptions for cost effective evaluation is evident. The evaluation process for programs also fails to capture additional activities of customers that are driven through exposure to programs where consumers are not directly taking advantage of a particular coupon or rebate.

Experience gained in reporting the activities of 2005 also indicates the need to ensure that measures of programs are understood at the program design stage. For education programs, in addition to some modification of the TRC model to better recognize the benefits of these programs, mechanisms for obtaining feedback from customers is required. These mechanisms however must be cost effective.

Funding: There remains significant third tranche dollars for the continued delivery of CDM programs in 2006 and potentially 2007. However, if CDM is to continue members will be required to submit applications for additional CDM expenditures. A simplified approval process is required to allow utilities to obtain appropriate CDM funding without being encumbered with a full rate hearing on these items. In addition, as noted above, the TRC tool requires modification to provide value to education and foundation programs. A continued lack of recognition of the value of these types of programs will focus utilities on programs that deliver immediate positive TRC result, a condition that will not foster a "conservation culture".

Partnerships and Sharing: CHEC by its' very existence is about partnerships and sharing. CHEC members are working together to move forward CDM in their service territories. In addition CHEC members have been active participants in local and provincial wide initiatives to build relationships and take advantage of scale. It is believed through these types of endeavours, the "best bang for the buck" can be achieved for the customer.

Province wide initiatives are generally supported by CHEC members as a good way to enter into partnerships with the OPA, manufacturers, contractors, and retail outlets in order to deliver cost effective programming. Within these programs the ability to provide local support and branding is important to allow the existing positive relationship that the local utility enjoys with its customers to be leveraged.

Foundation Year: Many of the CHEC members note in their report the "foundation building" nature of 2005. The ability of the industry to come up to speed is noted as well as the development of programs and guidelines associated with CDM. All CDM participants have been learning over 2005.

Much of the work completed in 2005 sets the stage for the next two years. With a mix of delivered savings, education and investigation of programs CHEC and the industry have prepared for continued CDM over the next two years and beyond.

Customer Readiness: The success of the residential programs offered to customers indicates the readiness of customers to take action to control their energy use and costs. Obtaining resources for utilities to design and deliver commercial and industrial programs requires further attention. The energy savings within these sectors can be extensive, however the lead time for design, delivery and customer implementation is much longer. Members recognize that much of the issue with this sector is the limited resources (time and money) the customers have to put on energy management. Successfully meeting the needs of this sector will require further effort and sharing of projects that have proved successful.

Utility Resources: To-date utilities have not generally increased internal resources to address the CDM portfolio. Utilities have worked the additional CDM demands into existing work loads by placing other issues at a lower priority. Continuation of this arrangement is not sustainable over the long term. Recognition of the impact that continued CDM programming has on resources is required in both the funding and reporting requirements. As noted above under "Funding" a simplified method for accessing CDM funding is required to ensure the appropriate resources are put in place to support the appropriate level of CDM activity.

6.0 Conclusion:

The first year of CDM has been a learning or foundation year. The CHEC members look back on their projects to date and recognize there has been significant learning. As the individual reports indicate there continues to be a commitment to CDM with utilities looking to capture future benefits from the work done in 2005.

CHEC members have delivered energy savings while increasing the collective knowledge of the CDM industry. CHEC members have demonstrated a willingness to be fully engaged in the process. Through the continued sharing of information and programs between members and other organizations, CHEC will continue to play an important role in the design, delivery and reporting of CDM for the benefit of their customers.

7.0 Appendices:

Appendix 1	Summary of CHEC Appendix A's	page 9)
	Individual Utility CDM 2005 Annual Report RP-2004-0203/EB-2004-0502		
Appendix 2 Appendix 3 Appendix 4 Appendix 5 Appendix 6 Appendix 7 Appendix 8 Appendix 9 Appendix 10 Appendix 11 Appendix 12 Appendix 13 Appendix 13 Appendix 14 Appendix 15	Centre Wellington Collus Power Grand Valley Innisfil Hydro Lakefront Utilities Lakeland Power Distribution Midland Power Utility Orangeville Hydro Ltd Orillia Power Distribution Parry Sound Power Rideau St. Lawrence Wasaga Distribution Inc. Wellington North Power West Coast Huron Energy	page page page page page page page page	10 21 40 48 63 75 86 109 129 152 167 184 203 232
Appendix 16	Westario Power	page	249 263
Appendix 17 Appendix 18	Woodstock Hydro Services SeeLine TRC Assessment for 2005 Lighten Your Electricity Bill	page	294

Appendix A - Evaluation of the CDM Plan

	Total	Residential	Commercial	Institutional	Industrial	Agricultural	LDC System		
Net TRC value (\$):	\$499,756								
Benefit to cost ratio:	1.582								
Number of participants or units delivered:	115,815.00		Summary	of CHEC	Appendi	ces A			
Total KWh to be saved over the lifecycle of the plan (kWh):	29,760,746.70		Detailed A	's follow fo	r all CHE	C Utilities			
Total in year kWh saved (kWh):	3,048,702.30		Utilities arı	ranged alpl	nabeticall	у			
Total peak demand saved (kW):	329.19								
Total kWh saved as a percentage of total kWh delivered (%):									
Peak kW saved as a percentage of LDC peak kW load (%):									
Gross in year C&DM expenditures (\$):	\$908,385.27								
Expenditures per KWh saved (\$/kWh)*:	\$0.0305								
Expenditures per KW saved (\$/kW)**:	\$2,759.4849								

Goderich Hydro Conservation & Demand Side Management Annual Report

March 17, 2006

By: Cameron A. Straughan, B.Sc., M.E.S.

Introduction

This report - filed on March 17, 2006 - is a summary of Goderich Hydro's Conservation and Demand Management (CDM) projects for the period of January 1, 2005 to December 31, 2005. This time period represents the first year of Goderich Hydro's three year CDM plan.

During this reporting period, Goderich Hydro's "Lighten Your Electricity Bill" coupon incentive project generated significant kWhr savings. However, most projects were designed to develop a conservation culture, laying the foundation for future Tier Two projects. Since these foundation building projects did not generate quantifiable energy savings, it was difficult to determine their Net Benefit using the TRC spreadsheets. However, qualitative data and information from project partners suggested that these projects achieved their goals.

For the purposes of this report, portfolio costs are included in their own TRC spreadsheet. Portfolio costs were covered by Goderich Hydro and the Town of Goderich.

Evaluation

2005 Lighten Your Electricity Bill Program

Goderich Hydro's partnership with Energyshop and the Canadian Tire Corporation was a tremendous success. Bill inserts delivered valuable energy-savings coupons to help residents reduce their electricity bill. When customers used the coupons to purchase energy efficient products at Canadian Tire, detailed information regarding the efficiency of each product was easily collected

Overall, the "Lighten Your Electricity Bill" coupon program exceeded participation targets and generated significant savings. Customer uptake was 6% - far exceeding the predicted 3% uptake. In the final report, completed by the SeeLine Group, the program achieved 6.31 Winter Peak kW Savings. This is an encouraging result for a Local Distribution Company (LDC) with peak winter demands. Annual kWh Savings in Year and Lifecycle kWh Savings were also significant.

Aside from having a positive Net Benefit, the program was an important foundation building exercise. It actively engaged each participating household in a burgeoning conservation culture without requiring a major financial investment on their part. It familiarized customers with energy efficient technology and helped alleviate the fear of trying something new.

EnerGuide Home Evaluations

By all accounts, the EnerGuide Home Evaluations were a success. The Residential Energy Efficiency Project (REEP) reported that bookings for evaluations went quickly, the number of homes evaluated exceeded targets, and customer feedback was "very positive".

The EnerGuide Home Evaluations were a success because of the partnership between Goderich Hydro and REEP. REEP acknowledged that "it is a positive indicator that the coupon incentive offered by Goderich Hydro is a major motivator to the hydro consuming public". Thus, one CDM project helped set the foundation for another. Despite a negative Net Benefit of \$100, the program generated strong public interest and program recommendations encouraged the implementation of energy efficient upgrades and retrofits. The average annual energy savings per participating household, based on coast to coast data, it is estimated at \$719.

The EnerGuide Home Evaluations offered residents a tangible, unbiased, science-based road map to future energy efficiency and savings. The program offered Goderich Hydro a viable option for customers who were very upset with their hydro bill.

Smart Meter Pilot Project

By attending util-assist's workshops, Goderich Hydro received valuable information regarding Smart Meters. Despite a negative Net Benefit, the foundation was laid for future smart metering projects.

Energy Conservation Web Site

The energy conservation Web site is currently under development, thus it can not be evaluated. However, once completed, the Web site will encourage a conservation culture with measurable results. Energy savings could be measured by up-take of programs, message penetration analysis, redemption of on-line discount coupons, and reports on Web site traffic.

Portfolio Costs

The portfolio costs represent a negative Net Benefit; however, considering that this is year one of Goderich Hydro's CDM plan, the overall costs are low. In addition, these expenditures are essential for Goderich Hydro to maintain active membership in Cornerstone Hydro Electric Concepts (CHEC) and fully explore CDM opportunities.

Employee hours comprised the bulk of expenditures, followed by costs related to attending CHEC meetings in Orangeville. Overall, the portfolio costs represent a significant team effort by employees of Goderich Hydro and the Town of Goderich.

Lessons Learned

2005 Lighten Your Electricity Bill Program

Higher than predicted program uptake was likely due to a combination of bill inserts, customer desire to conserve energy, coupon incentives, and the partnership with Canadian Tire – a trusted, popular local business.

In the future, more lead time is required so that the program's promotional activities can be coordinated with Canadian Tire's promotions. It is predicted that this will result in much higher customer uptake.

EnerGuide Home Evaluations

Part of the success of the EnerGuide Home Evaluations must be attributed to the financial incentives. REEP charged Goderich Hydro customers 44% of their usual rate and Goderich Hydro provided a \$50 subsidy for each participating household. The subsidies proved to be a powerful example of "putting your money where your mouth is". Customers greatly appreciated the fact that Goderich Hydro was willing to make an investment to coincide with requests to conserve electricity.

Bill inserts were instrumental in encouraging bookings. They helped inform the public and clear up confusion regarding the services REEP provided. Plans are being made for increased marketing and awareness of the EnerGuide Home Evaluations project, including another round of customer appreciation recognitions. In the future, REEP would like to see rural households serviced via expanded partnerships with the utility community.

Smart Meter Pilot Project

Unfortunately, the Smart Meter Pilot Project ended prematurely for reasons beyond CHEC's control. However, it is hoped that some of the work accomplished during those workshops will be transferable to future initiatives.

Energy Conservation Web Site

Since the energy conservation Web site is currently under development, there are no lessons to report.

Portfolio Costs

There was considerable debate regarding what should be included in the portfolio costs. This suggests that clearer guidelines are required. Hopefully, following this reporting period, some recommendations can be made. Perhaps a standardised portfolio expense form is required, allowing for accurate bookkeeping amongst all participating LDCs. Despite these concerns, reporting portfolio costs in a separate TRC spreadsheet is a good idea. If these costs had to be separated out and included within each respective CDM project report, it would have generated more debate and uncertainty.

Conclusion

During year one of Goderich Hydro's CDM plan, only the "Lighten Your Energy Bill" Canadian Tire coupon program achieved a positive Net Benefit. However, the other four projects included in this reporting period were all successful foundation building exercises. In fact, not only did year one CDM projects help build the foundations for future Tier Two projects, but many projects cross-pollinated concurrent projects. For example, the success of the coupon program was cited as a positive influence on the EnerGuide Home Evaluations program, which exceeded all expectations.

With regards to project penetration, this report highlights two methods that should be repeated in the future. The combination of bill inserts and financial incentives were extremely instrumental in encouraging customer uptake.

Overall, year one CDM projects forged several valuable contacts and partnerships. Projects also encouraged a strong teamwork ethic amongst staff from Goderich Hydro and the Town of Goderich. Membership in CHEC was instrumental in developing and maintaining these bonds. In particular, Goderich Hydro looks forward to feedback from fellow CHEC members. Combined, our year one reports are an invaluable source of information and support that will ensure a sound foundation for future projects

Thanks to successful year one efforts, Goderich Hydro will transition into year two with the skills, experience, education, and confidence required to create an energy conservation culture that will best serve the needs of its customers.

Appendix A - Evaluation of the CDM Plan

	Total	Residential	Commercial	Institutional	Industrial	Agricultural	LDC System	Other 1	Other 2	Other 3	Other 4
Net TRC value (\$):	-\$5,279	\$8,749						-\$4,800	-\$1,622	-\$1,636	-\$5,969
Benefit to cost ratio:	0.7	3.44						0	0	0	0
Number of participants or units delivered:	331.00	282.00						1	1	0	47
Total KWh to be saved over the lifecycle of the plan (kWh):	273499.00	273499.00						0	0	0	0
Total in year kWh saved (kWh):	27266.00	27266.00						0	0	0	0
Total peak demand saved (kW):	6.31	6.31						0	0	0	0
Total kWh saved as a percentage of total kWh delivered (%):	0.098%	0.098%						0	0	0	0
Peak kW saved as a percentage of LDC peak kW load (%):	0.00	0.00						0	0	0	0
Gross in year C&DM expenditures (\$):	\$14,282	\$2,134						\$4,800	\$1,622	\$1,636	\$4,089
Expenditures per KWh saved (\$/kWh)*:	0.0522	0.0078						\$0	\$0	\$0	NA
Expenditures per KW saved (\$/kW)**:								\$0	\$0	\$0	NA

Utility discount rate (%):	
	8.56

^{*}Expenditures include all utility program costs (direct and indirect) for all programs which primarily generate energy savings.

^{**}Expenditures include all utility program costs (direct and indirect) for all programs which primarily generate capacity savings.

Appendix B - Discussion of the Program

(complete this section for each program)

A. Name of the Program: Goderich Hydro CDM Portfolio Costs

Description of the program (including intent, design, delivery, partnerships and evaluation):

Portfolio costs include expenditures not specific to a CDM project. These expenditures include staff training, travel expenses, administrative support, distributing pamphlets, and employee hours spent on CDM projects in general. All portfolio costs are necessary to maintain active membership in CHEC and follow through on CDM initiatives. The activities of both Goderich Hydro and Town of Goderich employees are included in the portfolio costs. Each employee kept records of CDM-related work they performed.

Measure(s):	Measure 1	Measure 2 (if applicable)	Measure 3 (if applicable)
Base case technology:	0		
Efficient technology:	0		
Number of participants or units			
delivered:	1.00		
Measure life (years):	0.00		
TRC Results:			
TRC Benefits (\$):		\$ -	
Measure's Costs (\$):			
	Utility program cost (less incentives):	\$ 4,800.01	Includes Discounted Measures Cos
	Participant cost:	\$ -	

	Utility program cost (less incentives):	\$ 4,800.01	Includes Discounted Mea
	Participant cost:	\$ -	
	Total TRC costs:	\$ 4,800.01	
Net TRC (in year CDN \$):		-\$4,800.01	

Benefit to Cost Ratio (TRC Benefits/TRC Costs): 0.00

C. Results: (one or more category may apply)

Conservation Programs:

Demand savings (kW):	Summer	0.00		
Demand Savings (NVV).	Winter	0.00		
	lifecycle		in year	
Energy saved (kWh):	0.00		0.00	
Other resources saved:				
Natural Gas (m3):		0		0
Water (I)		0		0

Expenditures per kWh Saved (\$/kWh) #DIV/0!
Expenditures per kW Saved (\$/kW) #DIV/0!

Demand Management Programs:

Controlled load (kW)

Energy shifted On-peak to Mid-peak (kWh):

Energy shifted On-peak to Off-peak (kWh):

Energy shifted Mid-peak to Off-peak (kWh):

Demand Response Programs:

Dispatchable load (kW):

Peak hours dispatched in year (hours):

Power Factor Correction Programs:

Amount of KVar installed (KVar):

Distribution system power factor at begining of year (%):

	Distribution system power factor at end	d of year (%):				
	Line Loss Reduction Programs:					
	Peak load savings (kW):					
		lifecycle	in year	•		
	Energy savngs (kWh):					
	Distributed Generation and Load Dis	nula aamant Drawrama.				
	Amount of DG installed (kW):	spiacement Programs.				
	Energy generated (kWh):					
	Peak energy generated (kWh):					
	Fuel type:					
	Other Programs (specify):					
	Metric (specify):		portfolio costs			
D.	Program Costs*:					
υ.	Utility direct costs (\$):	Incremental capital:	\$	-		
	C y		•			
		Incremental O&M:	\$		Includes Measure's Cost - ensure full cost of measure entered in TRC!L15	
		Incremental O&M. Incentive:	\$	-	cost of measure chiefed in Tree:13	
		Total:	\$			
		rotar.	Φ	-		
	Utility indirect costs (\$):	Incremental capital:	\$	4,800.01		
	, ,,,	Incremental O&M:	\$	-		
		Total:	\$	4,800.01		
				·		
	Total Utility Cost of Program		\$	4,800.01		
	Participant costs (\$):	Incremental equipment:	\$	-		
		Incremental O&M:	\$	-		0
		Total:	\$	-		
	Grand Total Program Cost		\$	4,800.01	1	
	Grana Total i Togram Gost		Ψ	7,000.01	1	

E. Comments:

Costs from 2006 have been included to complete the TRC. Includes costs from "Conserve Energy and Save Money" pamphlet program.

^{*}Please refer to the TRC Guide for the treatment of equipment cost in the TRC Test.

Appendix B - Discussion of the Program

(complete this section for each program)

A. Name of the Program: Coupon Program - 2005 Lighten Your Electricity Bill

Description of the program (including intent, design, delivery, partnerships and evaluation):

Coupon program offering rebates to residential customers on a range of energy efficient technologies. Project a conservation initiative coordinated by EnergyShop.com on behalf of 32 local distribution companies. Program utilized Canadian Tire Corporation as the retailer with stores across Ontario. Coupons were delivered as mailing insert directly to the residential accounts. Each coupon had a tracking code to be able to apply the costs and credits to the appropriate LDC. Monitoring of program results accomplished by the coupons returned and evaluation of the product purchased by EnergyShop.com.

Measure(s):

B.

	CFL Bulb	Seaonal Lighting	Programm	able Therm. Ti	mers Ceiling F	ans Home	EnerGuide
Base case technology:	60 W incandescent	C-7 and mini Xmas lights	Standard Thern	nostats No timer	No fan	No Asse	essment
Efficient technology:	15 W CFL	LED Xmas lights	Programmable	Thermostat Programm	nable Timer Ceiling Fans	Assessr	ment
Number of participants or units		186	72	14	6	4	47
Measure life (years):		4	30	18	20	20	25

TRC Results:		
TRC Benefits (\$):	\$	12,335
TRC Costs (\$):		
Utility program cost (less incentives):	\$	2,134.23
Participant cost:	\$	1,452.00
Total TRC costs:	\$	3,586.23
Net TRC (in year CDN \$):	\$	8,749
Panalit to Cost Patia /TPC Panalita/TPC Costs):	·	2.44
Benefit to Cost Ratio (TRC Benefits/TRC Costs):	\$	3.44

C. Results: (one or more category may apply)

Conservation Programs:

Demand savings (kW):	Summer		1.51	
	Winter		6.13	
		lifecycle	in year	
Energy saved (kWh):		273,499.00		27,266.00
Other resources saved:				
Natural Gas (m3):				
Other (specify):				

Demand Management Programs:

Controlled load (kW)

Energy shifted On-peak to Mid-peak (kWh):

Energy shifted On-peak to Off-peak (kWh):

Energy shifted Mid-peak to Off-peak (kWh):

Demand Response Programs:

Dispatchable load (kW):

Amount of KVar installed (KVa Distribution system power fact	•			
Distribution system power factor				
•	, ,			
Line Loss Reduction Program	ms:			
Peak load savings (kW):	lifecycle		in year	
Energy savngs (kWh):	mecycle		ırı year	
	oad Displacement Programs:			
Amount of DG installed (kW):				
Energy generated (kWh): Peak energy generated (kWh).				
Fuel type:				
· ·				
Other Programs (specify):				
Metric (specify):		Number of pa	articipants	
Program Costs*:				
Utility direct costs (\$):	Incremental capital:			
	Incremental O&M:	\$	764.71	
	Incentive:	\$	942.00	
	Total:	\$	2,134.23	
Utility indirect costs (\$):	Incremental capital:		0	
	Incremental O&M:		0	
	Total:	\$		
Participant costs (\$):	Incremental equipment:	\$	1,452.00	
τ αποιρατίτ συστό (ψ).	Incremental O&M:	Ψ	1,432.00	
	Total:	\$	1,452.00	
	rotar.	Ψ	1,432.00	
Comments:				

^{*}Please refer to the TRC Guide for the treatment of equipment cost in the TRC Test.

Spread Sheet to convert SeeLine Results into Table B

Table 1 Enter Numbers from SeeLine

Technology	Number of Participants	Free Ridership	Summer Peak Saving	Annual kWh Savings	Measure Life	Lifecycle kWh Savings
			3			
CFL	186			17,430	4	69,718.32
LED Xmas Lights Replacing 5W, C7 (25 Lights)	36	10%	0	1441.87	30	43,255.99
LED Xmas Lights Replacing Mini Lights	36	10%	0	551.83	30	16,554.76
Programmable Thermostat - Space Heating, Existing Single Family Detached	4	10%	0	5022.81	18	90,410.60
Programmable Thermostat - Space Cooling, Existing Single Family Detached	10	10%	1.45	1417.44	18	25,513.89
Timer - Outdoor Light	5	10%	0	1314	20	26,280.00
Timer - Indoor - Light	1	10%	0.05	88.27	20	1,765.44
Timer - Indoor - Air Conditioners	0	10%	0	0	20	-
Ceiling Fans	4	10%	0	0	20	-
EnerGuide for Existing Homes - Space Heating	0	10%	0	0	25	-
Total	282		1.51	27.266		273,499,00

Table 2 Enter Numbers for SeeLine	ble 2 Enter Numbers for SeeLine				Program Cost							1								
									Utili	ty Cos	t				Participant Costs			Ì		
															Particip	ants	Partic	ipants		
			Increr	mental	Dire	ct Costs	Direc	t Costs	Non	-	Indire	ct Cost	Indired	t Cost	Cost		Cost		Re	ebate
			Equip	ment	Incr	emental	Incre	mental	Incre	ement	Increr	nental	Incren	nental	Increm	ental	Increr	nental	pa	id by
Technology	TRC	Benefits	Costs	;	Cap	ital	O&M		al C	ost	Capita	al	O&M		Equipn	nent	O&M		U	Itility
CFL	\$	4,249	\$	334	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	210
LED Xmas Lights Replacing 5W, C7 (25 Lights)	\$	1,342	\$	65	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	180
LED Xmas Lights Replacing Mini Lights	\$	514	\$	65	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	180
Programmable Thermostat - Space Heating,																				
Existing Single Family Detached	\$	3,443	\$	206	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	330
Programmable Thermostat - Space Cooling,																				
Existing Single Family Detached	\$	1,717	\$	535	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-
Timer - Outdoor Light	\$	977	\$	90	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	20
Timer - Indoor - Light	\$	93	\$	6	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	2
Timer - Indoor - Air Conditioners	\$	-	\$-		\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-
Ceiling Fans	\$	-	\$	151	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	20
EnerGuide for Existing Homes - Space Heating			\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	/	
Program Costs	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	-
	\$	-																		
Total	\$	12,335	\$	1,452			\$	-	\$	-	\$	-	\$	-	\$	-	\$	-	\$	942

TRC Results:
TRC Benefits (\$):

12,335 Measure's Costs (\$):

Utility program cost (less incentives): \$ 2,134 Participant cost:

1,452 3,586 8,749 Total TRC costs: Net TRC (in year CDN \$):

Benefit to Cost Ratio (TRC Benefits/TRC Costs): 3.44

Conservation Programs:
Demand savings (kW): Summer Program was designed for conservation - peak not reported. Winter

Energy saved (kWh): Annual kWh Lifecycle kWh 27,266.00 273,499.00

Program Costs*:
Utility direct costs (\$):

Incremental capital: 1,192 Incremental O&M: 942 Incentive: Total:

Utility indirect costs (\$): Incremental capital: Incremental O&M: Total:

2,134 Total Utility Cost of Program

Participant costs (\$): Incremental equipment: 1,452 Incremental O&M: Total: 1,452

Appendix B - Discussion of the Program

(complete this section for each program)

Α.	Name of the Program:	Residential Energy Efficiency Project (REEP)

Description of the program (including intent, design, delivery, partnerships and evaluation):

Consultants performed EnerGuide Home Evaluations for interested Goderich Hydro residential customers. As an incentive, Goderich Hydro provided a \$50 subsidy to each participating household. A REEP energy efficiency advisor visited homes and demonstrated how to improve comfort levels, cut heating and cooling costs, and ensure adequate, healthy ventilation. Participants received a Home Energy Plan with recommendations for improving energy efficiency. Customer feedback was very positive.

Measure(s):			
	Measure 1	Measure 2 (if applicable)	Measure 3 (if applicable)
Base case technology:	0		
Efficient technology:	0		
Number of participants or units			
delivered:	47.00		
Measure life (years):	0.00		
TRC Results:			
TRC Benefits (\$):		\$ -	
Measure's Costs (\$):			
	Utility program cost (less incentives):	\$ 1,739.00	0

	Participant cost:	\$	4,230.00	Includes Discounted Measures Cost
	Total TRC costs:	\$	5,969.00	
Net TRC (in year CDN \$):			-\$5,969.00	
Benefit to Cost Ratio (TRC Benefits/TRC Costs):		0.00		

C. Results: (one or more category may apply)

Conservation Programs:

B.

Demand savings (kW):	Summer	0.00	
	Winter	0.00	
	lifecycle	in year	
Energy saved (kWh):	0.00	0.00	
Other resources saved :			
Natural Gas (m3):		0	0
Water (I)		0	0

Expenditures per kWh Saved (\$/kWh)	#DIV/0!
Expenditures per kW Saved (\$/kW)	#DIV/0!

Demand Management Programs:

Controlled load (kW)
Energy shifted On-peak to Mid-peak (kWh):
Energy shifted On-peak to Off-peak (kWh):
Energy shifted Mid-peak to Off-peak (kWh):

Demand Response Programs:

Dispatchable load (kW): Peak hours dispatched in year (hours):

Power Factor Correction Programs:

Amount of KVar installed (KVar):

Distribution system power factor at begining of year (%):

	Distribution system power factor at end	l of year (%):				
	Line Loss Reduction Programs: Peak load savings (kW):					
	Energy savngs (kWh):	lifecycle	in y	/ear		
	Distributed Generation and Load Distributed Generation and Load Distributed (kW): Energy generated (kWh): Peak energy generated (kWh): Fuel type:	splacement Programs:				
	Other Programs (specify): Metric (specify):		number of home	es		
D.	Program Costs*: Utility direct costs (\$):	Incremental capital: Incremental O&M: Incentive: Total:	\$ \$ \$	1,739.00 2,350.00 4,089.00		0
	Utility indirect costs (\$):	Incremental capital: Incremental O&M: Total:	\$ \$ \$	- - -		
	Total Utility Cost of Program		\$	4,089.00		
	Participant costs (\$):	Incremental equipment: Incremental O&M: Total:	\$ \$ \$	- 4,700.00 4,700.00	Includes Measure's Cost	
	Grand Total Program Cost		\$	8,789.00]	

E. Comments:

Costs from 2006 have been included to complete the TRC. Goderich Hydro pre-paid 50 homes @ \$25.00 / home. As of Dec. 31, 2005, only

^{*}Please refer to the TRC Guide for the treatment of equipment cost in the TRC Test.

Appendix B - Discussion of the Program

(complete this section for each program)

	(0)			p. -9 . a	,	
. Name of the Program:	Sı	mart Meter Pilot Project				
Description of the progra	m (including i	ntent, design, delivery, part	nerships	and evaluation):		
		eters to its residential custom d a pilot project plan was deve		esentatives attend	ed wor	kshops conducted by util-assist.
Measure(s):		Manaura 4	Maa	ours 2 (if applicab	(مار	Macaura 2 (if applicable)
Base case technology:		Measure 1 Regular Meters	iviea	sure 2 (if applicat	ne)	Measure 3 (if applicable)
Efficient technology:		Smart Meters				
Number of participants or u delivered:	inits	0.00)			
Measure life (years):		0.00				
TRC Results: TRC Benefits (\$): Measure's Costs (\$):			\$		-	
(,)	Utilit	ty program cost (less incentives):	\$	1.6	36.36	Includes Discounted Measures Cost
		Participant cost:		,-	-	
		Total TRC costs	\$	1,6	36.36	
Net TRC (in year CDN \$):				-\$1,	636.36	
Results: (one or more cateConservation Programs:	gory may apply	y)				
Demand savings (kW):	Sı	ummer	0.00			
zomana sarings (iirr).		/inter	0.00			
		lifecycle		in year		
Energy saved (kWh): Other resources saved:		0.00		0.00		
Natu	ral Gas (m3):)		0	
	Water (I))		0	
Expenditures per kWh Sav	ed (\$/kWh)	#DIV/0!				
Expenditures per kW Save	d (\$/kW)	#DIV/0!				
Demand Management Pro Controlled load (kW)	ograms:					
Energy shifted On-peak to	Mid-peak (kWh	n):				
Energy shifted On-peak to	Off-peak (kWh)):				
Energy shifted Mid-peak to	Off-peak (kWh	n):				
Demand Response Progr	ams:					
Dispatchable load (kW):	,, .					
Peak hours dispatched in y	rear (hours):					
Power Factor Correction						
Amount of KVar installed (F	(var):					

Distribution system power factor at begining of year (%):

	Distribution system power factor at end	of year (%):				
	Line Loss Reduction Programs:					
	Peak load savings (kW):					
		lifecycle	in year			
	Energy savngs (kWh):					
	Distributed Generation and Load Dis	nlacement Programs:				
	Amount of DG installed (kW):	placement rograms.				
	Energy generated (kWh):					
	Peak energy generated (kWh):					
	Fuel type:					
	Other Programs (specify):					
	Metric (specify):		foundation building			
D.	Program Costs*:					_
	Utility direct costs (\$):	Incremental capital:	\$	1,636.36		
		Incremental O&M:	\$	_	Includes Measure's Cost - ensure full cost of measure entered in TRC!L15	
		Incentive:	\$	-		
		Total:	\$	1,636.36		
	Utility indirect costs (\$):	Incremental capital:	\$	-		
		Incremental O&M:	\$			
		Total:	\$	-		
	Total Utility Cost of Program		\$	1,636.36		
	Participant costs (\$):	Incremental equipment:	\$	-		
	· Lancia and Ass.	Incremental O&M:	\$	-		(
		Total:	\$	-		
	0		Φ.	1 000 00	1	
	Grand Total Program Cost		\$	1,636.36	I	
						_

E. Comments:

Unfortunately, the Smart Meter Pilot Project ended prematurely for reasons beyond CHEC's control.

^{*}Please refer to the TRC Guide for the treatment of equipment cost in the TRC Test.

Appendix B - Discussion of the Program

(complete this section for each program)

A. Name of the Program: Energy Conservation Web Site

Description of the program (including intent, design, delivery, partnerships and evaluation):

An energy conservation Web site is currently under development. It will be geared towards residential, commercial, and industrial energy consumers. It will become a significant tool for educating, informing, and advertising. Development and maintenance costs will be shared by the CHEC group. All participating LDC's will contribute content. Savings could be measured by up-take of programs, message penetration analysis, redemption of discount coupons, and reports on Web site traffic.

Measure(s):	Measure 1	Measure 2 (if applicable)	Measure 3 (if applicable)
Base case technology:	0	, <i>,</i>	,
Efficient technology:	0		
Number of participants or units delivered:	1.00		
Measure life (years):	0.00		

TRC Results:		_
TRC Benefits (\$):	\$ -	
Measure's Costs (\$):		
Utility program cost (less incentives):	\$ 1,622.05 Includes Discounted Measures Cost	
Participant cost:	- 0	J
Total TRC costs:	s: \$ 1,622.05	
Net TRC (in year CDN \$):	-\$1,622.05	
Benefit to Cost Ratio (TRC Benefits/TRC Costs):	0.00	

C. Results: (one or more category may apply)

Conservation	Programs:
--------------	-----------

B.

Demand savings (kW):	Summer	0.00	
	Winter	0.00	
	lifecycle	in year	
Energy saved (kWh):	0.00	0.00	
Other resources saved :			
Natural Gas (m3):		0	0
Water (I)		0	0

Expenditures per kWh Saved (\$/kWh)	#DIV/0!
Expenditures per kW Saved (\$/kW)	#DIV/0!

Demand Management Programs:

Controlled load (kW)

Energy shifted On-peak to Mid-peak (kWh):

Energy shifted On-peak to Off-peak (kWh):

Energy shifted Mid-peak to Off-peak (kWh):

Demand Response Programs:

Dispatchable load (kW):
Peak hours dispatched in year (hours):

Power Factor Correction Programs:

Amount of KVar installed (KVar):
Distribution system power factor at begining of year (%):

	Distribution system power factor at end	d of year (%):				
	Line Loss Reduction Programs:					
	Peak load savings (kW):					
		lifecycle	in year			
	Energy savngs (kWh):					
	Distributed Generation and Load Dis	enlacement Programs:				
	Amount of DG installed (kW):	splacement rograms.				
	Energy generated (kWh):					
	Peak energy generated (kWh):					
	Fuel type:					
	Other December (on a sife)					
	Other Programs (specify): Metric (specify):		foundation building			
	Metric (Specify).		louridation ballding			
D.	Program Costs*:					
	Utility direct costs (\$):	Incremental capital:	\$ 25	59.50		
					Includes Measure's Cost - ensure full	
		Incremental O&M:	\$ 1,36		cost of measure entered in TRC!L15	
		Incentive:	\$			
		Total:	\$ 1,62	22.05		
	Utility indirect costs (\$):	Incremental capital: Incremental O&M:	\$	-		
			<u>\$</u> \$			
		Total:	\$	-		
	Total Utility Cost of Program		\$ 1,62	22.05		
	Participant costs (\$):	Incremental equipment:	\$	-		
		Incremental O&M:	\$	-		(
		Total:	\$	-		
	Grand Total Program Cost		\$ 1,62	22.05		
	2		1,02		ı	

E. Comments:

CDM Coordinator fees are included as an Incremental O&M cost. The Web site has "Participant Numbers: 1.00 " because it is still under de

^{*}Please refer to the TRC Guide for the treatment of equipment cost in the TRC Test.



TOTAL RESOURCE COST TEST ASSESSMENT OF THE '2005 LIGHTEN YOUR ELECTRICITY BILL' PROGRAM

For West Coast Huron Energy

By SeeLine Group Inc. 416-703-8695

February 2006



1.0 Introduction

Energyshop.com was engaged by 32 Local Distribution Companies (LDCs), across the province of Ontario, to design, deliver and track a fall coupon campaign with retailer Canadian Tire. Throughout the late summer and early fall billing periods, participating utilities provided their customers with a bill insert containing valuable energy-savings coupons to help them save on their electricity bill.

Customers from each of the 32 LDCs, had until December 31, 2005 to redeem their point of purchase coupons at any local Canadian Tire outlet. Upon redemption, Canadian Tire sent the coupon to a redemption house, who then sorted by utility and product.

As part of this effort, SeeLine Group Inc. (SLG) was asked to undertake a Total Resource Costs (TRC) test assessment of the 2005 Lighten Your Electricity Bill Program as delivered by Energyshop.com. Using many of the technology cost and savings estimates outlined in the Ontario Energy Board's TRC Guide, program results were screened using SLG's SeeToolTM TRC Calculator. The number of participant and program cost data provided by Energyshop.com.

This report includes a summary of assumptions and results from the TRC screening. Appendix A and B provides the detailed information on program assumptions.

2.0 Program Objectives

As outlined by Energyshop.com, this program was designed to achieve the following objectives:

- To help participating utilities achieve energy conservation and demand management results for their 2005 program year.
- Increase public awareness of energy conservation and demand management in the province of Ontario.
- Contribute to the overall development of an energy conservation culture in Ontario.

3.0 Program Results

3.1 Technology Savings Assumptions

SLG used many of the technology savings identified by the OEB in its Total Resource Guide.¹ For those technologies without defined savings, every effort was made to develop reasonable assumptions, defensible under the OEB guidelines. The following provides a brief outline of the savings assumptions used for this assessment.

http://www.oeb.gov.on.ca/documents/cases/RP-2004-0203/cdm_assumptionsmeasureslist_141005.xls



Compact Fluorescent Bulbs

The 2005 program provided customers with a \$3 coupon on any pack of compact fluorescent bulbs. Using store data provided by Energyshop.com, the number of bulbs sold by wattage was used to develop the average wattage of bulb sold. Based on this information, it was assumed that the average wattage sold during this program was 15 watts. Additional detail can be found in Appendix A.

LED Seasonal Lights

Like the CFLs, customers were provided with a \$5 coupon for the purchase of any package of LED seasonal lights. Using store data provided by Energyshop.com, average size of LED light string sold during the campaign was determined. Based on this information, it was assumed that the average string sold had 59 bulbs.

Using the information in the OEB's TRC Guide, LED savings assumptions were adjusted to reflect a string with 59 bulbs as opposed to the 25 bulbs per string. Additional detail can be found in Appendix A.

With guidance from Energyshop.com, it was also assumed that 50% of the LED lights sold were those replacing a 5 watt Christmas string and the remaining 50% were used to replace mini lights which yields a slightly lower savings.

Ceiling Fans

At the time of this analysis, SLG felt there was not enough significant evidence to support a savings estimate for ceiling fans.

Programmable Thermostats

SLG used the savings estimate outlined in the OEB's TRC Guide. Participant rates were adjusted to account for market share. Using data provided by Energyshop.com and other studies, the following province wide fuel share assumptions were used:

Electrical Space Heating 17.3% Electrical Space Cooling (central air) 45.0%

Indoor Timers

In the absence of OEB savings estimates for indoor timers, SLG developed savings estimates for timers used on indoor lighting and air conditioners. Detailed information can be found in Appendix B.

The savings estimate for timers for indoor lighting is considered to be small. It assumes that the timer is used on a 60 W bulb and provides savings during the winter peak, winter mid peak and summer peak periods. In total, the timer is expected to provide approximately 98 kWh savings.

The savings estimate developed for timers used on unit air conditioners is based on the owner setting the timer to bring the air conditioner on a few hours before he or she



arrives home. Based on this assumption, a timer used for a unit air conditioner would provide approximately 108 kWh in annual savings.

Based on discussions with EnergyShop.com it was assumed that 50% of the timers would be used for lighting and the remaining 50% would be used for air conditioners. SLG made an additional assumption and assumed that it was unlikely that all of the timers would be used appropriately; participation rates were reduced by 30%.

Outdoor Timers

The savings estimate for the outdoor timer is based on information from the OEB's TRC Guide.

EnerGuide for Homes

Based on information provided by Energyshop.com the potential savings for space heating load is estimated to be 250 kWh. Using the participant data provided by EnergyShop.com, SLG made adjustments to account for uptake on the audit recommendations and fuel market share. No additional fuel savings were considered for this analysis.



3.2 Summary of Program Participation

Technology	Number of Participants	Free Ridership
Compact Fluorescent Bulbs	186	10.0%
LED Christmas Lights (indoor or		
outdoor) Replacing 5w Christmas		
Lights C-7 (25 Lights)	36	10.0%
LED Christmas Lights (indoor or		
outdoor) Replacing Incandescent		
Mini Lights	36	10.0%
Programmable Thermostat -		
Space Heating, Existing Single		
Family Detached	4	10.0%
Programmable Thermostat -		
Space Cooling, Existing Single		
Family Detached	10	10.0%
Timer - Outdoor Light	5	10.0%
Timer - Indoor - Light	1	10.0%
Timer - Indoor - Air Conditioners	-	10.0%
Ceiling Fan	4	10.0%
EnerGuide for Existing Homes -		
Space Heating	-	10.0%

^{*} Adjusted for fuel share and usage uptake

3.3 Summary of Net Program Savings

Technology	Summer Peak kW Savings	Annual kWh Savings in Year	Measure Life	Lifecycle kWh Savings
Compact Fluorescent Bulbs	0	17,430	4	69,718.32
LED Christmas Lights (indoor or outdoor) Replacing 5w Christmas Lights C-7 (25 Lights)				
	0.00	1441.87	30.00	43,255.99
LED Christmas Lights (indoor or outdoor) Replacing Incandescent Mini Lights				
	0.00	551.83	30.00	16,554.76
Programmable Thermostat - Space Heating, Existing Single Family Detached	0.00	5022.81	18.00	90,410.60
Programmable Thermostat - Space Cooling, Existing Single Family Detached				30,110.00
	1.45	1417.44	18.00	25,513.89
Timer - Outdoor Light	0.00	1314.00	20.00	26,280.00
Timer - Indoor - Light	0.05	88.27	20.00	1,765.44
Timer - Indoor - Air Conditioners	0.00	0.00	20.00	0.00
Ceiling Fan	0.00	0.00	20.00	0.00
EnerGuide for Existing Homes - Space Heating				
	0.00	0.00	25.00	0.00
Total		27,266		273,499



3.4 Summary of Total Resource Cost Test Results

Technology	TRC Benefits	Incremental Equipment Costs	Utility Program Costs	TRC Net Benefits	TRC B/C Ratio
Compact Fluorescent Bulbs	\$4,249	\$334	\$ -	\$3,915	12.73
LED Christmas Lights (indoor or outdoor) Replacing 5w Christmas				·	
Lights C-7 (25 Lights)	\$1,342	\$65	\$-	\$1,277	20.71
LED Christmas Lights (indoor or outdoor) Replacing Incandescent Mini Lights	\$514	\$65	\$-	\$449	7.93
Programmable Thermostat - Space Heating, Existing Single Family Detached	\$3,443	\$206	\$-	\$3,237	16.75
Programmable Thermostat - Space Cooling, Existing Single Family Detached		• • •		·	
Timer - Outdoor Light	\$1,717	\$535	\$-	\$1,182	3.21
	\$977	\$90	\$-	\$887	10.85
Timer - Indoor - Light	\$93	\$6	\$-	\$87	14.83
Timer - Indoor - Air Conditioners	\$-	\$-	\$-	\$-	n/a
Ceiling Fan	\$-	\$151	\$-	(\$151)	0.00
EnerGuide for Existing Homes - Space Heating	\$-	\$-	\$-	\$-	n/a
Program Costs	\$-	\$-	\$750	(\$750)	0.00
Total	\$12,333	\$1,451	\$750	\$10,132	5.60



Appendix A

Compact Fluorescent Bulb and LED Light Details



Data provided by Energyshop.com

CFL Sales - Ontario

Product	Description	Watts	Pack	Units	Bulbs	Ave # of	Average
Number			Size	Sold	Sold	bulbs	Wattage
052-5109-0		13	1	3,510	3,510		45630
052-5119-6	COMPFL-REPL.9W 4100	9 13	1 3	794	794		7144.2
052-5120-0	CFL 13W SPIRL 3PK CFL 26W SPIRL 3PK	26	3	79,920 60,480	239,760 181,440		3116880 4717440
052-5121-8	13W MINI 6PK NOMA	13	6	41,310	247,860		3222180
052-5125-0	26W MINI NOMA	26	1	4,644	4,644		120744
052-5126-8	10W MINI 2PK GE	10	2	10,800	21,600		216000
052-5127-6	26W MINI 2PK GE	26	2	15,390	30,780		800280
052-5128-4	CFL 10W SPIRL 3PK	10	3	32,940	98,820		988200
052-5135-6		32	1	1,620	1,620		51840
052-5137-2		45	1	3,024	3,024		136080
052-5140-2		40	1 1	1,890	1,890 1,620		75600 51840
052-5141-0	TRI 12/23/32 MINI GE DIMMABLE 29W BIAX GE	32 29		1,620 216	216		51840 6264
052-5144-4	13W MINI BLACK NOMA	13	1 1	2,754	2,754		35802
052-5153-2	13W MINI RED NOMA	13	1	3,240	3,240		42120
	13W MINI GREEN NOMA	13	1	3,348	3,348		43524
052-5159-0		13	1	3,456	3,456		44928
052-5167-0	TUBE-CIRCLNE12"32WKB	32	1	540	540		17280
052-5168-8	TUBE-CIRCLNE8"22WK&B	22	1	918	918		20196
052-5176-8	13W MINI 2PK GE	13	2	32,454	64,908		843804
052-5182-2	CFL 12/20/26W TRILIT	26	1	3,780	3,780		98280
052-5183-0		26	1	1,620	1,620		42120
052-5189-8	11W MINI BUG LGHT GE	11	1	540	540		5940
052-5190-2	CFL BUG LIGHT 13W CFL BUG LIGHT 23W	13 23	1	2,052	2,052 864		26676 19872
052-5191-0		23 9	2	864 13,554	27,108		243972
052-5192-8		13	2	25.380	50,760		659880
052-5194-4	23W NAT/COOL 2PKNOMA	23	2	19,440	38,880		894240
052-5195-2	10W MINI NOMA	10	1	2,160	2,160		21600
052-5196-0	13W MINI NOMA	13	1	4,320	4,320		56160
052-5331-8	COMPFL 9WG25 3PK	9	3	1,458	4,374		39366
052-5332-6	COMPFL 7W A-LINE	7	1	3,186	3,186		22302
052-5333-4		15	1	2,268	2,268		34020
052-5334-2	COMPFL 23W PAR38	23	1	1,890	1,890		43470
	COMPFL 15WR30 2PK	15	2	2,484	4,968		74520
052-5352-8		11	1 1	1,890	1,890		20790
052-5353-6 052-5355-2		11 15		1,080 1,998	1,080 1,998		11880 29970
052-5356-0	R30 15W FLD GE	15	1 1	540	540		8100
	PAR38 26W FLD 2PK NO	26	2	2,160	4,320		112320
	PAR38 26W FLD GE	26	1	2,592	2,592		67392
052-5360-8		23	1	1,998	1,998		45954
052-5361-6	PAR38 23W FLD GRN NO	23	1	1,620	1,620		37260
052-5362-4	PAR38 23W FLD BLU NO	23	1	1,242	1,242		28566
	PAR38 23W FLD YLW NO	23	1	594	594		13662
	R40 26W FLD NOMA	26	1	918	918		23868
052-5365-8		26	1	540	540		14040
	R40 26W FLD DIM GE	26	1 1	270	270 1,026		7020
	A-LINE 11W GE A-LINE 15W NOMA	11 15	1	1,026 1,620	1,620		11286 24300
	A-LINE 15W NOMA	15	1	2,700	2,700		40500
052-5370-4		9	1	1,188	1,188		10692
052-5371-2		9	1	972	972		8748
052-5372-0		15	1	378	378		5670
052-5373-8	CHANDLR 5W MED GE	5	1	540	540		2700
052-5374-6	CHANDLR 7W MED NOMA	7	1	756	756		5292
052-5375-4		7	1	540	540		3780
052-5376-2		9	1	756	756		6804
052-5377-0		5	1	540	540		2700
052-5378-8		7	1	756	756		5292
052-5379-6 052-5382-6		7 9	1	648 1,350	648 1,350		4536 12150
	9W ULTRAMINI 3PK NOM	3	3	7,668	23,004		69012
	13W ULTRAMINI 3PK NO	13	3	12,042	36,126		469638
052-5392-2		13	6	2,754	16,524		214812
	•		-	443,540	1,174,538	2.65	
							15 499653

15.499653 average watts



Data provided by Energyshop.com

SLEDs	To	otal Units Sold 50524		
Lights / string	%age	Program sales	Whole number	Average Bulb per String
25	15%	7384.266944	7384	3.653841216
35	22%	11311.7249	11314	7.836085259
70	52%	26025.92566	26026	36.05840386
100	11%	5802.082488	5802	<u>11.4838146</u>
				59.03214493



Appendix B

Technology Savings Data



TOTAL RESOURCE COST TEST																			
Participant/Technology Information Unit Energy Savings																			
	Electricity Savings																		
Program		.	Unit	Program	Unit Water	Unit Propane				Winter			Summer		Sh	oulder			
	Measure Life	Distribution Line Losses	Incremental Costs	Delivery Costs	Savings m3 (000's litres)	Savings m3	Unit Oil Savings litres	Unit Diesel Savings m3	On Peak	Mid Peak	Off Peak	On Peak	Mid Peak	Off Peak	Mid Peak	Off Peak	Demand Type (C, DR)	Peak Demand Savings (Summer)	Comments
CFL Screw-In 15W	4	0.00%	\$2.00	\$ -	0.00	0.00	0.00	0.00	15.5	7.7	20.3	0.0	11.7	14.0	17.5	17.7	С	0.000	Average wattage of bulb sold during campaign (see Appendix A)
LED Christmas Lights (indoor or outdoor) Replacing 5w Ch LED Christmas Lights (indoor or outdoor) Replacing Incand		0.00% 0.00%	\$2.00 \$2.00	\$ - \$ -	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	13.4 5.1	8.9 3.4	22.3 8.5	0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	C C		Savings based on 59 bulbs per string. Refer to Appendix A Savings based on 59 bulbs per string. Refer to Appendix A
Programmable Thermostat - Space Heating, Existing Single Programmable Thermostat - Space Cooling, Existing Single	18 18	0.00% 0.00%	\$60.00 \$60.00	\$ - \$ -	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	202.1 0.0	231.0 0.0	541.8 0.0	0.0 28.4	0.0 42.5	0.0 88.2	219.0 0.0	272.4 0.0	C C	0.000 0.163	
Timer - Outdoor Light	20	0.00%	\$20.00	\$ -	0.00	0.00	0.00	0.00	43.3	21.6	56.9	0.0	32.9	39.0	48.8	49.5	С	0.000	
Timer - Indoor - Light Timer - Indoor - Air Conditioners	20 20	0.00% 0.00%	\$7.00 \$7.00	\$ - \$ -	0.00 0.00	0.00 0.00	0.00 0.00	0.00 0.00	14.5 0.0	7.3 0.0	19.1 0.0	0.0 19.4	11.0 29.1	13.1 60.3	16.4 0.0	16.6 0.0	C C	0.059 0.174	
Ceiling Fan	20	0.00%	\$42.00	\$ -	0.00	0.00	0.00	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	С	0.000	
EnerGuide for Existing Homes - Space Heating	25	0.00%	\$150.00	\$ -	0.00	0.00	0.00	0.00	34.5	39.4	92.4	0.0	0.0	0.0	37.3	46.4	C	0.000	