

London Economics International LLC

Approaches to Utility Remuneration and Incentives

Prepared for: The Ontario Energy Board

> www.londoneconomics.com September 17-18, 2019

Introduction



To provide context for potential approaches to utility remuneration in Ontario, LEI will review experiences in other jurisdictions



Exploration of changes to utility remuneration is driven by the desire to encourage continuous improvement and greater economic efficiency while creating a foundation for innovation which benefits customers



Prior to considering changes to utility remuneration, it is important to understand what we are changing from



As such, we will begin with an overview of Ontario's current remuneration policies and rate-setting options



We will then look to other jurisdictions (the United Kingdom, New York, and California) to gain insight into various examples and lessons learned with regards to utility remuneration



Overall, these case studies offer relevant takeaways on the challenges encountered, and the nature of solutions developed in their respective contexts



1	Introduction
2	Case Study 1: The United Kingdom
3	Case Study 2: New York
4	Case Study 3: California
5	What concepts could be explored in Ontario?



Ontario has one of the more sophisticated regulatory frameworks in the world, which can be characterized by numerous defining features





Introduction > Ontario's current remuneration policies



- The current regime:
 - allows utilities to choose from a menu of incentive options
 - uses a scorecard to monitor outcomes
 - deploys benchmarking to drive efficiencies
- Under the Renewed Regulatory Framework ("RRF"), distributors have 3 options for setting rates: Price Cap IR, Custom IR, or an Annual IR Index
 - RRF calls for distributors to focus on customer preferences and demonstrate that investment plans support cost-effective planning and operation





Source: OEB. 2017 Sector-Wide Consolidated Scorecards of Electricity Distributors. October 2018.



Ontario distributors have three rate-setting options, choosing the method that best meets their requirements and circumstances

Key elements of the three rate-setting options

Setting of Rates		Price Cap IR	Custom IR	Annual IR Index		
"Going-in" Rates		Determined in a single forward test-year COS review	Determined in a multiyear application review	No COS review, existing rates adjusted by the Annual Adjustment Mechanism		
Form		Price Cap Index	Custom Index	Price Cap Index		
Coverage		Comprehensive (i.e. Capital and OM&A)				
ヹ゠	Inflation	Composite Index	Distributor-specific rate trend for the plan term to be determined by	Composite Index		
Annual Adjustme Mechanis	Productivity	Peer Group X-factors comprised of industry TFP growth potential and a stretch factor	the Board, based on: (1) the distributor's forecast (revenue and costs, inflation, productivity); (2) the inflation and productivity analyses; and (3) benchmarking to assess the	Based on Price Cap IR-X-factors		
Role of Benchmarking		To assess reasonableness of distributor cost forecasts and to assign stretch factors	reasonableness of the distributor's forecasts	N/A		
Sharing of Benefits		Productivity factor				
		Stretch factor	Case-by-case	Highest Price Cap IR stretch factor		
Term		5 years (rebasing plus 4 years)	Minimum term of 5 years	No fixed term		
Z factors		Same as in the 3 rd generation incentive regulation				
Performance Reporting & Monitoring		A regulatory review may be initiated if a distributor's annual reports show performance outside of the +/- 300 basis point earnings dead band or if performance erodes to unacceptable levels				
Appropriate for		Distributors that anticipate some incremental investment needs will arise during the plan term	Distributors with significantly large multi-year or highly variable investment commitments with relatively certain timing and level of associated expenditures	Distributors with relatively steady state investment needs		

Source: OEB. Renewed Regulatory Framework for Electricity Distributors: A Performance Based Approach. October 2012. p.13.

Introduction **>** Key issues for utility remuneration



The underlying key issues prompting consideration of change in utility remuneration are wide ranging

02

03

Aligning capex and opex incentives

Alignment requires a margin that encourages utilities to treat capex and opex interchangeably, and leads to ownership and capital neutral decisions

Providing greater customer choice

Will require consideration of **what** sorts of choices are valuable to consumers, **how much** it costs to make that choice available, and how choice can be allowed without creating **intraclass subsidies**

Reassessing the regulatory compact

Involves refining the understanding of the **obligation to serve** and what constitutes **just and reasonable rates**

Rapid pace of evolution

Motivation for evaluating changes to utility remuneration is driven by **declining technology costs** and potential for increased customer choice

Managing uncertainty and allocating risk

Requires advanced **scenario planning** tools and **due diligence** on the part of utilities

Funding public policy mandates

The prospect of **grid defection** limits policymakers' ability to use the distribution bill to accomplish a range of social objectives





The jurisdictional case studies selected for review provide initiatives and lessons for Ontario

- Jurisdictions reviewed include the UK, New York, and California
 - These jurisdictions share a common history with Ontario of unbundling from vertically integrated utilities to disaggregated generation, transmission and distribution (except for California, which is partially unbundled)
 - Akin to Ontario's IESO, many of these jurisdictions have an **independent system** operator which administers a wholesale energy market
 - All jurisdictions have moved away from traditional COS regulation

Rationale for selecting case study jurisdictions						
	Rationale	Approach	Innovative features			
UK	RIIO (Revenue = Incentives + Innovation + Outputs) performance-based regulatory model underpinned by a focus on total expenditure	PBR underpinned by a focus on totex	 Financial incentives tied to distributor performance outcomes Sharing of totex savings between customers and the utility 			
NY	Ongoing REV and VDER initiatives tackle the evolving role of the distribution utility and the monetization of DERs for utilities and third parties	Hybrid of PBR and DSPP	 Utility demonstration projects under REV to explore new products and services 			
CA	Lessons from regulator-led DER Action Plan as well as an incentive pilot mechanism to encourage utility investment in DERs	Three-year rate plans (COS hybrid)	 Ownership-neutral DER incentive pilot mechanism DER wholesale market participation initiative under development 			

Acronyms: Reforming the Energy Vision ("REV"); Value of Distributed Energy Resources ("VDER"); Distributed System Platform Provider ("DSPP")

Introduction > Comparison of selected jurisdictions



Of the jurisdictions selected, Ontario is most comparable to New York in terms of installed capacity and annual load



Number of distributors





Installed capacity



💫 Total energy supplied



🕬 Peak demand



ഫ്പ് Load growth



Sources: OEB; IESO; Digest of UK Energy Statistics; Ofgem; New York State Comptroller; NYISO; California Energy Commission; Energy Information Association; United States Census Bureau; US Bureau of Economic Analysis.







- RIIO-ED1 is the RIIO model applied to the electricity distribution sector it sets the outputs that distributors need to deliver and the revenues they are allowed to collect for an eight-year period (April 1, 2015 to March 31, 2023)
- The totex approach combines a portion of utility capital expenditures ("capex") and operating expenditure ("opex") solutions into one regulatory asset that allows a rate of return on both

The UK's PBR model employs a building blocks approach that calibrates the indexing formula based on forward-looking revenue requirements of each regulated utility over the term of the price controls

 Revenue requirements are set based on estimates of the likely capital and operating costs and return of and return on an efficient asset base





- ► The base revenue requirement is estimated in the same way as the standard RPI-X building blocks approach with a return on the regulated asset value ("RAV"), depreciation allowance, an operating cost allowance, and tax
- However, the key difference under the RIIO model is the use of a portion of the totex (or the slow money), and not the actual capex, to the additions to the asset base



Sources: Ofgem. Guide to the RIIO-ED1 Electricity Distribution Price Control. January 18, 2017. p.15; Ofgem. RIIO-ED1 Annual Report 2017-18. March 8, 2019. p.14.

Case Study 1: The United Kingdom ► What is totex?



The totex concept is used in RIIO to ensure capex and opex are treated interchangeably

- Under the totex approach, utilities are incentivized to consider whole life costs, rather than being driven to choose between opex and capex, and are thus encouraged to choose the most overall cost-effective solution
- Totex is comprised of "fast" money and "slow" money
 - Fast money represents the money funded in the year incurred, and is equivalent to the opex
 - Slow money represents the money added to the regulatory asset value ("RAV") that is funded over time through allowances for depreciation and return on capital, and is equivalent to the capex

Totex includes "all economical and efficiently incurred expenditure relating to a [utility's] regulated [distribution] business," including non-operational capex and business support costs, and excluding pension deficit repair payments, statutory/regulatory depreciation and amortization, etc.

(Ofgem, 2013)





- The totex capitalization rate is the expected future opex-capex split and determines the proportion of totex added to the RAV (i.e. slow money)
 - Signifies proportion of the utility's expenditure that is funded over the long-term
 - According to Ofgem, the "[capitalization] rate refers to the speed that company expenditure is paid for by consumers" and so, "a higher [capitalization] rate means a larger proportion of total spend is paid for by consumers in the future, rather than now"
 - Set at the outset, generally based on the historical and forecast split of capex and opex relative to the totex, and differs for each utility

Relevant achieved results (2015 to end of fiscal year 2017/18)





Environmental outcomes: distributors were on track to meet their carbon footprint reduction targets, but fell short of their Sulphur hexafluoride emissions and oil leakage targets



Financial performance: in terms of totex budgets, distributors spent £10.2 billion (\$18.9 billion CAD) out of the £10.9 billion (\$20.2 billion CAD) of approved expenditures, amounting to savings of 6% or £684 million (\$1.2 billion CAD)

 Customers will receive 47.5% of these savings, the remaining 52.5% will be retained by distributors





Case Study 2: New York ► Ratemaking framework



Since the initiation of REV, the Public Service Commission issued an order setting forth a new model framework for ratemaking and utility revenue

- NY utilizes multi-year rate plans which is a PBR approach to ratemaking
- ► The ratemaking order delineates boundaries of a modern ratemaking model that augments conventional cost-of-service ratemaking by adding outcomebased incentives (earning adjustment mechanisms or "EAMs") and marketbased platform earnings (platform service revenues or "PSRs")
 - Utilities in New York submit a rate plan every three years
 - EAMs and PSRs are forms of earning opportunities that differentiate New York's ratemaking process from a traditional PBR process

Platform service revenues

PSRs are new forms of utility revenues associated with the **operation and facilitation of distribution-level markets** - utilities may generate revenues by replacing traditional infrastructure with "**non-wires alternatives**"

 PSRs are generally allocated at 80% to ratepayers and 20% to utility shareholders (although this is subject to change)

Earning adjustment mechanisms

EAMs encourage innovation across four categories: system efficiency, energy efficiency, customer engagement, and DER interconnection – utilities propose metrics and targets to be approved by the Public Service Commission ("PSC")

 EAMs are similar to Ontario's performance scorecard metrics, with added financial implications

Source: NY PSC. Order Adopting a Ratemaking and Utility Revenue Model Policy Framework. Case 14-M-0101. May 19, 2016.

Case Study 2: New York ► Reforming the Energy Vision



Reforming the Energy Vision ("REV") conceptualizes the DSPP model for the distribution utility as incremental to their current role

- REV is a multi-pronged strategy to develop a clean, resilient, and affordable energy system, initiated by the New York PSC
 - Prioritizes energy efficiency and clean, locally produced power
 - Encourages deeper DER penetration
 - Provides guidance on the supporting tariff design structures required

Expanding the traditional distribution utility model

Utilities act as distributed system platform providers ("DSPPs") – which incentivizes them to consider DER solutions as an alternative to traditional grid investments



Source: NYPSC. Annual Report Stat Fiscal Year 2017-2018. August 7, 2018.

Sample demonstration projects

The PSC directed the six large IOUs in NY to develop and file demonstration projects to test new approaches to distributed resource adoption:

- Battery storage systems for Con Edison's customers, which will increase energy storage technologies' ability to export power to Con Edison's primary and secondary distribution systems
- Battery storage innovation for New York City, which allows large commercial batteries to feed the electric grid and enables utilities to study the impact on existing Dynamic Load Management programs
- Virtual net metering of solar power for street lighting, which allows municipalities to use remote solar farms to offset their street lighting costs, while compensating the city for the value of solar power produced



Value of Distributed Energy Resources ("VDER") provides guidance on the tariff framework necessary to support third party owned DERs

- The ongoing VDER initiative tackles the evolving role of the distribution utility and the monetization of DERs for utilities and third parties
- The Value Stack compensation methodology represents a step to replace Net Energy Metering with a more accurate valuation and compensation of DERs
 - VDER factors include energy price, avoided carbon emissions, cost savings to customers and utilities, as well as other savings from avoiding expensive capital investments
- Since its implementation in 2017, NY PSC Staff filed two white papers with recommendations for improving the VDER tariff, specifically relating to VDER compensation for avoided costs and VDER capacity value compensation
- In April 2019, the NY PSC released an updated Value Stack Order, which adopts recommendations from the white papers with modifications



Sources: NY PSC. Order on Phase One Value of Distributed Energy Resources Implementation Proposals, Cost Mitigation Issues, and Related Matters. Case 15-E-0751. September 14, 2017; NY PSC. Order Regarding Value Stack Compensation. Case 15-E-0751. April 18, 2019.







- The California Public Utilities Commission ("CPUC") regulates the three largest IOUs operating in California: Pacific Gas and Electric ("PG&E"), Southern California Edison ("SCE"), and San Diego Gas and Electric ("SDG&E")
 - The CPUC also has regulatory authority over Electric Service Providers and Community Choice Aggregators that supply power in California
- The CPUC sets electric rates in thee-year plans through traditional General Rate Case ("GRC") proceedings
 - The CPUC is also responsible for monitoring and enforcing safety standards in the industry, and allocating the capital needed to maintain and develop California's electric infrastructure
 - It also undertakes environmental assessments of proposed transmission lines, power plants, and other major electric facilities



Source: CPUC. "What is a General Rate Case ("GRC")?" Web. March 26, 2019.

Case Study 3: California ► DER Action Plan



California's DER Action Plan seeks to align legislative and policy measures into three broad categories

- In November 2016, the CPUC released the DER Action Plan to align the separate proceedings on DER and related issues
 - The Action Plan aims to guide the development and implementation of DER policy and establish a forum for considering innovative rate design
- The Action Plan divides DER policy activity into <u>three</u> groups:

1. Rates and Tariffs

- A continuum of rate options available for customers
- Rates reflect time-varying marginal cost
- Processes for adopting innovative rates are flexible and timely
- Rates remain affordable for non-DER customers

2. Distribution Planning, Infrastructure, Interconnection, and Procurement

- DERs meet grid needs through a seamless planning and sourcing process
- IOUs are motivated to accelerate deployment of DERs regardless of the impact on distribution capacity investment opportunities
- DER sourcing is technology-neutral and competitively procured
- Full value of DERs is reflected including grid services, renewables integration and GHG value

3. Wholesale DER Market Integration and Interconnection

- DERs participate as grid resources through higher visibility and dispatchability
- DERs are enabled to earn multiple revenue streams by delivering multiple services to the wholesale market
- Non-discriminatory market rules including for mobile electric transportation resources

Note: The Action Plan was updated in May 2017, with non-substantive changes made to improve clarity. Source: CPUC. *California's Distributed Energy Resources Action Plan: Aligning Vision and Action.* 2016.





The integrated DER incentive pilot is an example of removing utility DER ownership bias and compensating utilities for new responsibilities

- In December 2016, the CPUC adopted an Integrated Distributed Energy Resource ("IDER") incentive pilot mechanism to encourage the three largest IOUs (PG&E, SDG&E, and SCE) to invest in pilot DER projects
- Through the incentive mechanism, the CPUC aims to encourage the deployment of DERs as an alternative to additional capital expenditures on traditional distribution infrastructure
 - The incentive is set at a 4% pre-tax basis applied to the annual payment for the DERs which are alternative to the traditional distribution investment
 - The incentive allows the utility to record the value of the incentive in a balancing account for later recovery

stong involved in CDUC's incontive pilot

Summary of key steps involved in Croc's incentive phot mechanism						
Project identification	Complete solicitation process	Recovery of incentive				
Utilities have four months to identify at least one project for Incentive Pilot via a Distribution Planning Advisory Group ("DPAG")	Utilities have 14 months to complete the solicitation process to contract DER projects	In the case of successful solicitations (i.e. deferral of the traditional distribution expenditure is achieved), utilities record the value of the incentive for recovery in an Energy Resource Recovery Account compliance application				

Source: CPUC. Decision Addressing Competitive Solicitation Framework. 2016.



California's largest IOUs provide examples of both successful and unsuccessful solicitations under the incentive pilot mechanism

Successful solicitations

- PG<mark>&</mark>E
- On November 14, 2018, PG&E issued Request for Offers ("RFO") in response to the CPUC's incentive pilot mechanism
- Two DER contracts were approved by the CPUC on May 25, 2019 with a total capacity of 2.75 MW
- The pilot demonstration will be conducted at PG&E's Gonzales substation, an area expected to experience overload conditions due to peak demand
- The additional capacity from the DERs will be used to address thermal overloads in the area



- SCE began soliciting in January 2018 and selected the Eisenhower Project in Cathedral City and the Newbury Project in Thousand Oaks
- Following the completion of the solicitation in May 2018, SCE received the CPUC's approval for a total of 9.5 MW of in-front-of-the-meter energy storage contracts which will defer the substation upgrades by 9.5 years





- SDG&E started its solicitation process for the pilot in January 2018
- SDG&E issued an RFO to solicit energy efficiency, demand response, renewable generation resources, energy storage, and/or distribution generation resource projects for installation in Circuits 303 and 783 near Carlsbad, California
- On July 2, 2018, SDG&E reported to the CPUC that its solicitation process did not receive any cost-effective bids, and that it would proceed with traditional wire solutions instead

Sources: PG&E. "2018 IDER RFO." Web. March 26, 2019; PG&E. Advice Letter 5531-E. June 5, 2019; CPUC. California Smart Grid - Annual Report to the Governor and the Legislature. February 2019; SDG&E. Advice Letter 3245-E. August 14, 2018.







Case studies provide insight into types of initiatives which could be considered in Ontario

ENHANCED STATUS QUO

Builds upon current IRM practices with added features to address the balance between customer choice and helping utilities mitigate risk (e.g. optional shorter year terms/off-ramps, increased customer control of the level of service reliability, addition of DER connection time to scorecard metrics)



MARGIN TARGETING

Shifts the focus from capital in rate base to providing utilities a **margin** to provide services in a **technology and ownership neutral way** – DER host utilities are provided a minimum guaranteed margin in exchange for a requirement of ownership and technology neutral investments



TOTEX

Totex shifts the focus from capital in rate base by combining a portion of utility **capital expenditures and operating expenditures** into **one regulatory asset** that allows a rate of return on both



DSPP

The DSPP model whereby the utility performs the role of a **distribution system operator** capable of managing more bi-directional flows, engaging in ownership and technology neutral procurements, and compensating DERs in cases where they offset distribution utility costs

