



Ontario Energy Board

Commission de l'énergie de l'Ontario

Load Data Input for OEB Cost Allocation Model

April 25 and 27, 2006

Neil Yeung
OEB Staff Consultant

Load Data Input

Purpose

- To review Data Sheet from HONI
- To review what LDCs have to enter
- To review Input Sheet in Model



Output from HONI

Summary Report of Load Data Study – Source HONI

1	2	3	4
Residential	GS <50	GS>50-Regular	GS> 50-TOU

Co-incident Peak

Note 1

1 CP	X	X	X	O
4 CP	X	X	X	O
12 CP	X	X	X	O

Non Co-incident Peak

Note 2

1 NCP	X	X	X	O
4 NCP	X	X	X	O
12 NCP	X	X	X	O

kWh by class	X	X	X	O
--------------	---	---	---	---



LDC Input – Coincident Peak

LDC INPUT Co-incident Peak Break out Stations and Land to various Transformation Levels	1	2	3	4	5
	Residential	GS <50	GS>50- Regular	GS> 50- TOU	GS >50- Interme diate
Over 50 kV	1 CP				
Under 50 kV	1 CP				



LDC Input - Non-Coincident Peak

LDC INPUT Non Co-incident Peak Break out Distribution into various Levels	1	2	3	4	5
	Residential	GS <50	GS>50- Regular	GS> 50- TOU	GS >50- Intermed iate
Level 1 - Bulk	4 NCP				
Level 2 - Primary	4 NCP				
Level 3 - Secondary	4 NCP				

